Journal of Applied Polymer Science

Author Index—Volume 74

Abd El-Rehim, H. A.
—; Hegazy, E.-S. A.; Ali, A. M.: Preparation of Poly(vinyl alcohol) Grafted with Acrylic Acid/Styrene Binary Monomers for Selective Permeation of Heavy Metals, 806
Abdouss, M.
—; Sharifi-Sanjani, N.; Bataille, P.: Oxidation of Polypropylene in a Solution of Monochlorobenzene, 3417
Abe, S. See Yamaguchi, M., 3153, 3160
Abou-Kandil, A. I. See Darwish, N. A., 762
Aburto, J.
—; Alric, I.; Thiebaud, S.; Borredon, E.; Bikiaris, D.; Prinos, J.; Panayiotou, C.: Synthesis, Characterization, and Biodegradability of Fatty-Acid Esters of Amylose and Starch, 1440
Aceituno, J. E. See Rodríguez-Galán, A., 2312
Acosta, J. L. See Del Río, C., 1003
Adhikari, R.
—; Gunatillake, P. A.; McCarthy, S. J.; Meijs, G. F.: Effect of Chain Extender Structure on the Properties and Morphology of Polyurethanes Based on H_{12}MDI and Mixed Macrodiols (PDMS–PHMO), 2979
Agnelli, J. A. M. See Bettini, S. H. P., 247, 256
Akashi, M. See Seto, F., 1516, 1524
Akinay, A. E.
—; Tinçer, T.: γ-Irradiated Poly(tetrafluoroethylene) Particle-Filled Low-Density Polyethylene. I. Effect of Silane Coupling Agents on Mechanical, Thermal, and Morphological Properties, 866
—; Tinçer, T.: γ-Irradiated Poly(tetrafluoroethylene) Particle-Filled Low-Density Polyethylene. II. UV Stability of LDPE in the Presence of 2°-PTFE Powder and Silane Coupling Agents, 877
Aksu, L. See Keleş, H., 1547
Akutsu, F.
—; Inoki, M.; Inagawa, T.; Kasashima, Y.; Sonoda, Y.; Marushima, K.: Metal Adhesive Properties of Polyamides Having the 2,3-Bis(1,4-phenylene)-quinoxalinediyl Structure, 1366
Al, L. See Zhongming, L., 1649
Albertsson, A.-C. See Qu, X., 3186, 3193
Ali, A. M. See Abd El-Rehim, H. A., 806
Alric, I. See Aburto, J., 1440
Alsagheer, F. A. See Elassar, A.-Z. A., 2963
Aly, K. I.
—; New Polymer Syntheses. V. Synthesis, Characterization, and Morphology of New Conjugated Polymers, Copolymers, and Terpolymers Containing Piperidone Moiety in Main Chain, 2369
Amornsakchai, T. See Chantaratcharoen, A., 2414
Andrady, A. L.
—; Song, Y.: Aerobic Mineralization of Paperboard Materials Used in Packaging Applications, 1773
Aneli, J. N.
—; Zaikov, G. E.; Khananashvili, L. M.: Effects of Mechanical Deformations on the Structurization and Electric Conductivity of Electric Conducting Polymer Composites, 601
Ang, A. K. S.
—; Liaw, B. Y.; Liaw, D. J.; Kang, E. T.; Neoh, K. G.: Low-Temperature Thermal Graft Copolymerization of 1-Vinyl Imidazole on Fluorinated Polyimide Films with Simultaneous Lamination of Copper Foils, 1478
Anglès, M. N.
—; Salvadó, J.; Dufresne, A.: Steam-Exploded Residual Softwood-Filled Polypropylene Composites, 1962
Aoi, K. See Okada, M., 3342
Aral, O. See Süzer, S., 1846
Aranguren, M. I. See Auad, M. L., 1044
Arashiro, E. Y.
—; Demarquette, N. R.: Influence of Temperature, Molecular Weight, and Polydispersity of Polystyrene on Interfacial Tension Between Low-Density Polyethylene and Polystyrene, 2423
Arends, P. See Rudolph, S., 439
Argun, A. See Süzer, S., 1846
Armentrout, R. S. See Richardson, M. F., 2290
Arrighi, V. See Li, G., 639
Arsac, A.
—; Carrot, C.; Guillet, J.: Rheological Characterization of Ethylene Vinyl Acetate Copolymers, 2625
Ashida, T.
—; Katoh, A.; Handa, K.; Ochi, M.: Structure and Properties of Epoxy Resins Modified with Acrylic Particles, 2955
Ateia, E.
—; Khairy, S. A.; Ibrahim Sharra, S.: Effect of Swelling Process on the Thermoelastic Temperature Change of Ethylene Propylene Diene Rubber Filled with Carbon Black, 1890
Athawale, A. A.
—; Deore, B.; Vedpathak, M.; Kulkarni, S. K.: Photoemission and Conductivity Measurement of Poly(*N*-methyl

aniline) and Poly(*N*-ethyl aniline) Films, 1286
Auad, M. L.
—; Aranguren, M. I.; Eliçabe, G.; Borrajo, J.: Curing Kinetics of Divinyl Ester Resins with Styrene, 1044
Aucejo, S.
—; Marco, C.; Gavara, R.: Water Effect on the Morphology of EVOH Copolymers, 1201

Bahrami, S. H. See Bajaj, P., 567
Bai, F. See Zheng, M., 3351
Baik, K.-J.
—; Kim, J. Y.; Lee, H. K.; Kim, S. C.: Liquid–Liquid Phase Separation in Polysulfone/Polyethersulfone/*N*-Methyl-2-Pyrrolidone/Water Quaternary System, 2113
Bajaj, P.
—; Bahrami, S. H.; Sen, K.; Sreekumar, T. V.: Thermal and Rheological Behavior of Acrylonitrile–Carboxylic Acid Copolymers and Their Metal Salt Complexes, 567
Bakr, N. A.
—; Mansour, A. F.; Hammam, M.: Optical and Thermal Spectroscopic Studies of Luminescent Dye Doped Poly(methyl methacrylate) as Solar Concentrator, 3316
Balakrishnan, S.
—; Neelakantan, N. R.; Jaisankar, S. N.: Effect of Functionality Levels and Compatibility of Polycarbonate Blends with Maleic Anhydride-Grafted ABS, 2102
Balasubramanian, S. See Thamizharasi, S., 1186
Balköse, D. See Baltacioğlu, H., 2488
Baltacioğlu, H.
—; Balköse, D.: Effect of Zinc Stearate and/or Epoxidized Soybean Oil on Gelation and Thermal Stability of PVC-DOP Plastigels, 2488
Ban, B. S.
—; Kim, Y. B.: Surface Free Energy and Pretilt Angle on Rubbed Polyimide Surfaces, 267
Bani-Hani, M.
—; Banu, D.; Campanelli, J.; Feldman, D.: Highly Filled Polyolefin Plastomer Formulations for Possible PVC Replacement in Flooring, 1156
Banu, D. See Bani-Hani, M., 1156
Barcia, F. L.
—; Soares, B. G.; Gorelova, M.; Cid, J. A.: The Effect of Hydroxyl-Terminated Polybutadiene-Grafted Carbon Fiber on the Impact Performance of Carbon Fiber–Epoxy Resin Composites, 1424
Bartsch, R. A. See Talanova, G. G., 849
Bataille, P. See Abdouss, M., 3417
Baumgärtner, K.-M. See Walker, M., 67
Baumhardt Neto, R. See Simanke, A. G., 1194
Baweja, B. See Mishra, S., 2756
Bebelman, S. See Lauprêtre, F., 3165
Beker, Ü. G.
—; Güner, F. S.; Dizman, M.; Erciyes, A. T.: Heavy Metal Removal by Ion Exchanger Based on Hydroxyethyl Cellulose, 3501
Bell, J. P. See Don, T.-M., 2510
Beltrame, P. L.
—; Citterio, C.; Testa, G.; Seves, A.: Oxygen Permeation Through Films of Compatibilized Polypropylene/Polyamide 6 Blends, 1941
Benhaddou, R. See Chauvelon, G., 1937; Gourson, C., 3040
Bentley, M. D. See Won, C.-Y., 913
Bermúdez, M. D.
—; Carrión-Vilches, F. J.; Martínez-Nicolás, G.: Wear of Liquid Crystal-Additivated Polymers Against Steel, 831
Bernal, C. See Fasce, L., 2681
Bertilsson, H. See Liu, X., 510
Betchev, H. See Botev, M., 523
Bettini, S. H. P.
—; Agnelli, J. A. M.: Grafting of Maleic Anhydride onto Polypropylene by Reactive Processing. Part 1: Effect of Maleic Anhydride and Peroxide Concentrations on the Reaction, 247
—; Agnelli, J. A. M.: Grafting of Maleic Anhydride onto Polypropylene by Reactive Processing. Part 2: Effect of Rotor Speed and Reaction Time, 256
Bhowmick, A. K. See Jha, A., 1490
Bichara, A.
—; Fugit, J.-L.; Ouillon, I.; Taverdet, J.-L.: Optimization of a Process Capable of Decreasing the Pollution from PVC Packaging Material, 3492
Bikiaris, D. See Aburto, J., 1440; Botev, M., 523
Bleha, T. See Hojko, P., 1009
Bodhane, S. P.
—; Shirodkar, V. S.: Space–Charge-Limited Conduction in Vacuum-Deposited PVDF Films, 1347
Bogoeva-Gaceva, G. See Janevski, A., 239
Boiko, Y. M.
—; Prud'Homme, R. E.: Mechanical Properties Developing at the Interface of Amorphous Miscible Polymers, Below the Glass Transition Temperature: Time–Temperature Superposition, 824
Bollampally, R. S. See Wong, C. P., 3396
Bonfils, F.
—; Flori, A.; Sainte Beuve, J.: Relations between Wallace Plasticity and M_w for Natural Rubber, 3078
Borrajo, J. See Auad, M. L., 1044
Borredon, E. See Aburto, J., 1440
Bosc, D.
—; Foll, F.; Boutevin, B.; Rousseau, A.: Synthesis of a Novel Difunctional NLO Azo-Dye Chromophore and Characterizations of Crosslinkable Copolymers with Stable Electrooptic Properties, 974
Botev, M.
—; Betchev, H.; Bikiaris, D.; Panayiotou, C.: Mechanical Properties and Viscoelastic Behavior of Basalt Fiber-Reinforced Polypropylene, 523

Botvay, A.
—; Máthé, Á.; Pöppl, L.; Rohonczy, J.; Kubatovics, F.: Preparation and Characterization of Brominated Polyethersulfones, 1
Boucher-Sharma, A. P.
—; Chowdhury, G.; Matsuura, T.: Removal of *n*-Butanol from Aqueous Solutions by Ion–Exchange Membranes Containing Organic Counterions, 47
Boutevin, B. See Bosc, D., 974
Branland, P. See Gourson, C., 3040
Brar, A. S.
—; Hekmatyar, S. K.: Microstructure Determination of the Acrylonitrile–Styrene–Methyl Methacrylate Terpolymers by NMR Spectroscopy, 3026
—; Thiyagarajan, M.: Stereochemical and Compositional Assignments of *trans*-4-Methacryloyloxyazobenzene–Methyl Methacrylate Copolymers by One- and Two-Dimensional NMR Spectroscopy, 3016
Brenn, G. See Stelter, M., 2773
Breuer, O.
—; Tzur, A.; Narkis, M.; Siegmann, A.: HIPS/γ-Irradiated UHMWPE/Carbon Black Blends: Structuring and Enhancement of Mechanical Properties, 1731
Brooks, B. W. See Sajjadi, S., 3094
Bruno, T. P. See Hughes, O. R., 2335
Bualek-Limcharoen, S. See Chantaratcharoen, A., 2414
Bulacovschi, V. See Curteanu, S., 2561
Buleon, A. See Chauvelon, G., 1937
Burczyk, A. See Li, Y., 1584
Burford, R. P.
—; Vo, C. D.: Morphology Development in Polychloroprene–Polystyrene Latex Interpenetrating Polymer Networks, 629
—; See Vo, C. D., 622
Cabot, C. See Dargent, E., 2716
Cameron, R. E. See Kato, K. L., 1465; Zhang, X. C., 2234
Campanelli, J. See Bani-Hani, M., 1156
Canche-Escamilla, G. See Mendizábal, E., 3299
Cao, B.
—; Kajiuchi, T.: Pervaporation Separation of Styrene–Ethylbenzene Mixture Using Poly(hexamethylene sebacate)-Based Polyurethane Membranes, 753
Cao, S.
—; Shi, Y.; Chen, G.: Properties and Pervaporation Characteristics of Chitosan–Poly(*N*-Vinyl-2-Pyrrolidone) Blend Membranes for MeOH–MTBE, 1452
Cao, W. See Wang, R., 189
Cao, X.
—; Luo, Y.; Feng, L.: Synthesis and Properties of Magnets/Polyethylene Composites, 3412
Carbone, K.
—; Cross-linked Poly(vinyl)Alcohol Derivates for Purification and Immobilization of a Lipolytic Enzyme, 1881
Carella, J. M. See Casellas, J. J., 781
Carotenuto, G.
—; Nicolais, L.: Kinetic Study of Phenolic Resin Cure by IR Spectroscopy, 2703
Carrión-Vilches, F. J. See Bermúdez, M. D., 831
Carrot, C. See Arsac, A., 2625
Carr, W. W. See Fan, X.-D., 1563
Casellas, J. J.
—; Frontini, P. M.; Carella, J. M.: Fracture Characterization of Low-Density Polyethylenes by the Essential Work of Fracture: Changes Induced by Thermal Treatments and Testing Temperature, 781
Cassidy, P. E. See Stretz, H. A., 1508
Castaño, V. See Mendizábal, E., 3299
Castro, A. See Núñez, L., 2997
Çelik, M. See Keleş, H., 1547
Cerveny, S.
—; Marzocca, A. J.: Analysis of the Variation of Molecular Parameters of NR During Vulcanization in the Frame of the Conformational Tube Model, 2747
Chalamet, Y.
—; Taha, M.: Kinetic and Rheokinetic Study of Dicarboxylic Fatty Acid Chain Extension Using a Dioxazoline Coupling Agent, 1017
Chan Man Fong, C. F. See Li, Y., 1584
Chandra, R. See Mishra, S., 2756
Chang, B. See Fan, J., 2605
Chang, C. J.
—; Whang, W. T.; Hsu, K. Y.: Chain Flexibility Effect on the Refractive Index Grating of Fully Functionalized Carbazole/DO3/Epoxy Polymer, 1321
Chang, F.-C. See Chiou, K.-C., 23; Tseng, F.-P., 2196
Changfa, X. See Yufeng, Z., 670
Chantaratcharoen, A.
—; Sirisinha, C.; Amornsakchai, T.; Bualek-Limcharoen, S.; Meesiri, W.: Improvement of Interfacial Adhesion of Poly(*m*-phenylene isophthalamide) Short Fiber–Thermoplastic Elastomer (SEBS) Composites by N-Alkylation on Fiber Surface, 2414
Chao, M.-S. See Huang, S.-L., 297
Chappelow, C. C. See Power, M. D., 1577
Chareonsak, R. See Chen, J.-I., 1341
Chauvelon, G.
—; Saulnier, L.; Buleon, A.; Thibault, J.-F.; Gourson, C.; Benhaddou, R.; Granet, R.; Krausz, P.: Acidic Activation of Cellulose and Its Esterification by Long-Chain Fatty Acid, 1937
Chauvelon, G. See Gourson, C., 3040
Chen, C.-H.
—; Lo, Y.-W.: Influences of Chlorinated Polyethylene and Oxidized Polyethylene on the Fusion of Rigid Poly(vinyl chloride) Compounds, 699
Chen, C.-Y. See Ko, T.-H., 1745

Chen, G.
—; Liu, J.: Blends of Polyamide 1010 with Unmodified and Maleic-Anhydride-Grafted High-Impact Polystyrene, 857
—; See Cao, S., 1452
Chen, J.
—; Zhao, Y.: An Efficient Preparation Method for Superabsorbent Polymers, 119
—; See Wang, R., 189
Chen, J.-I.
—; Chareonsak, R.; Puengpipat, V.; Marturunkakul, S.: Organic/Inorganic Composite Materials for Coating Applications, 1341
Chen, K.-N. See Wang, T.-Z., 2499
Chen, L.-W. See Denq, B.-L., 229
Chen, Q. See Fan, Q., 2552
Chen, R. T. See Hughes, O. R., 2335
Chen, W. See Wang, H., 2150
Chen, X. See Zhang, Z., 3145; Zhong, W., 2546
Chen, Y.
—; Iroh, J. O.: Processing and Characterization of YSZ-PSS-DBS Composites, 502
—; See Zhang, L., 3541
Chern, Y. C.
—; Tseng, S. M.; Hsieh, K. H.: Damping Properties of Interpenetrating Polymer Networks of Polyurethane-Modified Epoxy and Polyurethanes, 328
Chiou, K.-C.
—; Wu, S.-C.; Wu, H.-D.; Chang, F.-C.: Compatibilization and Elastomer Toughening of Polyamide-6 (PA6)/Poly(phenylene ether) (PPE) Blends, 23
Chisholm, B. J.
—; Fong, P. M.; Zimmer, J. G.; Hendrix, R.: Properties of Glass-Filled Thermoplastic Polyesters, 889
Chiu, S.-H.
—; Pong, S.-H.: In-Line Viscosity Control in an Extrusion Process with a Fuzzy Gain Scheduled PID Controller, 541
Chiu, W.-Y. See Denq, B.-L., 229; See Hsu, S.-C., 3111, 3121
Cho, H. N. See Yoon, K. H., 2900
Cho, K. See Hwang, J. W., 33; Rana, D., 1169
Cho, W.-J. See Ha, C.-S., 1531; Park, J., 1432; Park, K.-G., 3259
Chodák, I. See Hojko, P., 1009
Choe, S. See Rana, D., 1169
Choi, J. G. See Kim, I. C., 2046
Choi, S.-S.
—; Migration Behaviors of Antiozonants in Binary Rubber-Based Vulcanizates of NR, SBR, and BR, 3130
Choi, W.-M. See Park, J., 1432
Choi, Y. B.
—; Kim, S. Y.: Effects of Interface on the Dynamic Mechanical Properties of PET/Nylon 6 Bicomponent Fibers, 2083
Chowdhury, G. See Boucher-Sharma, A. P., 47
Chung, H.
—; Joe, Y.; Han, H.: The Effect of Curing History on the Residual Stress Behavior of Polyimide Thin Films, 3287
Chung, T.-S. See Xu, Z.-L., 2220
Chung, Y.-C. See Liu, J.-H., 2947
Cid, J. A. See Barcia, F. L., 1424
Cifra, P. See Hojko, P., 1009
Citterio, C. See Beltrame, P. L., 1941
Corcuera, M. A. See Remiro, P. M., 772
Correa, R. See Rojas, V., 1078
Costa, J. L. See Lauprêtre, F., 3165
Cowie, J. M. G. See Li, G., 639
Curran, S. A. See Tang, W., 1858
Curteanu, S.
—; Bulacovschi, V.: Free Radical Polymerization of Methyl Methacrylate: Modeling and Simulation under Semibatch and Nonisothermal Reactor Conditions, 2561

Damshkaln, L. G.
—; Simenel, I. A.; Lozinsky, V. I.: Study of Cryostructuration of Polymer Systems. XV. Freeze–Thaw-Induced Formation of Cryoprecipitate Matter from Low-Concentrated Aqueous Solutions of Poly(vinyl alcohol), 1978
Daoust, D. See Lauprêtre, F., 3165
Dargent, E.
—; Kattan, M.; Cabot, C.; Lebaudy, P.; Ledru, J.; Grenet, J.: Compensation Effect Observed in Thermally Stimulated Depolarization Currents Analysis of Polymers, 2716
Darwis, D.
—; Nishimura, K.; Mitomo, H.; Yoshii, F.: Improvement of Processability of Poly(ε-caprolactone) by Radiation Techniques, 1815
Darwish, N. A.
—; Shehata, A. B.; Lawandy, S. N.; Abou-Kandil, A. I.: Effect of Non-Oiled Sulfur Concentration on the Adhesion Between Nitrile Rubber and Nylon Cord, 762
Dass, N. N. See Tosh, B., 663
De Kee, D. See Li, Y., 1584
De, P. P. See Manna, A. K., 389
De, S. K. See Manna, A. K., 389
Deki, S. See Sayo, K., 1654
Del Río, C.
—; Ojeda, M. C.; Acosta, J. L.: Electrical and Electrochemical Characterization of Petrol Cokes for Lithium-Ion Cells, 1003
Demarquette, N. R. See Arashiro, E. Y., 2423
Deng, Y. See Fan, X.-D., 1563
Denizli, A.
—; Heparin-Immobilized Poly(2-hydroxyethylmethacrylate)-Based Microspheres, 655
—; Köktürk, G.; Yavuz, H.; Pişkin, E.: Dye-Ligand Column Chromatography: Albumin Adsorption from Aqueous Media and Human Plasma with Dye-Affinity Microbeads, 2803
Denq, B.-L.
—; Hu, Y.-S.; Chen, L.-W.; Chiu, W.-Y.; Wu, T.-R.: The Curing Reaction and Physical Properties of DGEBA/DETA Epoxy Resin Blended with Propyl Ester Phosphazene, 229
Deore, B. See Athawale, A. A., 1286
Desai, A. See Thakore, I. M., 2791
Deshpande, A. A. See Kalkar, A. K., 3485

De Souza, C. M. G.
—; Tavares, M. I. B.: Solid-State NMR and Morphological Studies of Poly(ethylene-*co*-vinyl acetate)/Poly(vinyl acetate) Blends, 2990
Devaux, J. See Lauprêtre, F., 3165
Devi, S. See Thakore, I. M., 2791
Dey, M. See Sahoo, P. K., 2785
Dhumal, A. See Saujanya, C., 3522
Dizman, M. See Beker, Ü. G., 3501
Dmitriev, E. V. See Iordanskii, A. L., 595
Doğan, A. See Muhtaroğullari, I. Y., 2971
Dogan, M.
—; Eroglu, M. S.; Erbil, H. Y.: Surface Free-Energy Analysis of Energetic Poly(glycidyl azide) Networks Prepared by Different Reactive Systems, 2848
Doh, K.-S. See Kim, D.-K., 1917, 2029
Don, T.-M.
—; Yeh, C.-H.; Bell, J. P.: Structures and Properties of Polycarbonate-Modified Epoxies from Two Different Blending Processes, 2510
Dong, S.
—; Wei, Y.; Zhang, Z.: Reactivity Ratios of *N*-cyclohexylmaleimide and Methylmethacrylate by Infrared Spectroscopy, 516
Dos Santos, J. H. Z. See Haag, M. C., 1997
Drinkenburg, A. A. H. See Kemmere, M. F., 1780, 3225
Drioli, E. See Muzzalupo, R., 1119
Drozdov, A. D.
—; Stress-Induced Densification of Glassy Polymers in the Subyield Region, 1705
Du, S. See Tang, J., 1927
Dudi, O.
—; Grubbs, W. T.: Laser Interferometric Technique for Measuring Polymer Cure Kinetics, 2133
Dufresne, A. See Anglès, M. N., 1962
Dupont, J. See Haag, M. C., 1997
Durst, F. See Stelter, M., 2773
Dušek, K. See Vazquez, A., 2877
Dutta, B. See Jha, A., 1490
Dybal, J. See Podešva, J., 3214

Ehrenstein, G. W. See Varga, J., 2357; Wolfrum, J., 3173
Eick, J. D. See Power, M. D., 1577
Elassar, A.-Z. A.
—; El-Sawy, N. M.; Alsagheer, F. A.: Novel Heterocyclic Synthesis and Investigation on Radiation-Grafted Low-Density Polyethylene with 2-*N*-Vinylpyrrolidone, 2963
Eliçabe, G. See Auad, M. L., 1044
El-Sawy, N. M. See Elassar, A.-Z. A., 2963
El Seoud, O. A. See Marson, G. A., 1355
Endo, T. See Kaji, M., 690
Epacher, E.
—; Tolvéth, J.; Stoll, K.; Pukánszky, B.: Two-Step Degradation of High-Density Polyethylene During Multiple Extrusion, 1596
Erbil, H. Y. See Dogan, M., 2848
Erciyes, A. T. See Beker, Ü. G., 3501
Eroglu, M. S. See Dogan, M., 2848
Erro, R.
—; Gaztelumendi, M.; Nazábal, J.: Solid-State Structure and Properties of Poly(ethyl methacrylate)/Phenoxy Blends, 1539
Esartia, I. G. See Mukbaniani, O. V., 583
Estenoz, D. A.
—; González, I. M.; Oliva, H. M.; Meira, G. R.: Polymerization of Styrene in the Presence of Polybutadiene: Determination of the Molecular Structure, 1950

Fan, J.
—; Wan, M.; Zhu, D.; Chang, B.; Pan, Z.; Xie, S.: Synthesis, Characterizations, and Physical Properties of Carbon Nanotubes Coated by Conducting Polypyrrole, 2605
Fan, Q.
—; Fang, J.; Chen, Q.; Yu, X.: Synthesis and Properties of Polyurethane Modified with Aminoethylaminopropyl Poly(dimethyl siloxane), 2552
Fan, X.-D.
—; Deng, Y.; Waterhouse, J.; Pfromm, P.; Carr, W. W.: Development of an Easily Deinkable Copy Toner Using Soy-Based Copolyamides, 1563
Fang, J. See Fan, Q., 2552
Fang, J. M.
—; Sun, R.; Fowler, P.; Tomkinson, J.; Hill, C. A. S.: Esterification of Wheat Straw Hemicelluloses in the *N,N*-Dimethylformamide/Lithium Chloride Homogeneous System, 2301
Fang, X.-P. See Ou, Y.-C., 2397
Fang, Y. See Zhu, F., 1851
Farnia, S. M. F. See Mohammadi-Rovshandeh, J., 2004
Fasce, L.
—; Pettarín, V.; Bernal, C.; Frontini, P.: Mechanical Evaluation of Propylene Polymers under Static and Dynamic Loading Conditions, 2681
Faughey, G. See Sharma, H. S. S., 139
Fedorov, V. D. See Pesetskii, S. S., 1054
Feil, H. See Vikman, M., 2594
Feldman, D. See Bani-Hani, M., 1156
Feng, L. See Cao, X., 3412, Wang, Y., 1502
Feng, Y. See Liu, Z., 2667
Ferry, L. See Labour, T., 195
Finelli, L. See Lotti, N., 2694
Flaqué, C.
—; Montserrat, S.: Thermal Degradation of Celluloses and Their Vinylic Copolymers by Thermogravimetric Analysis, 201
Flint, J. See Hughes, O. R., 2335
Flores-Llamas, H. See Galvan-Sánchez, A., 995
Flori, A. See Bonfils, F., 3078
Foll, F. See Bosc, D., 974
Fong, P. M. See Chisholm, B. J., 889
Fortelný, I. See Kelnar, I., 1404
Forysth, A.
—; Whittaker, A. K.: Polymerization of DGEBA/DDS Epoxy Resins

Using Radio Frequency Fields, 2917
Fowler, P. See Fang, J. M., 2301
Fraga, F. See Núñez, L., 353, 2997
Fraga, L. See Núñez, L., 2997
Francis, T. See Nair, C. P. R., 2737, 3365
Fraysse, J. See Juvin, P., 471
Frontini, P. See Fasce, L., 2681
Frontini, P. M. See Casellas, J. J., 781
Fugit, J.-L. See Bichara, A., 3492
Fukuda, A. See Kimura, H., 2266
Fukuda, M. See Yamaura, K., 1298
Fukuhara, M. See Wang, W., 306

Galembreck, F. See Vichi, F. M., 2660
Galip, H.
—; Hasipoğlu, H.; Gündüz, G.: Flame-Retardant Polyester, 2906
Galland, G. B. See Simanke, A. G., 1194
Galvan-Sánchez, A.
—; Ureña-Núñez, F.; Flores-Llamas, H.; López-Castañares, R.: Determination of the Crystallinity Index of Iron Polymethacrylate, 995
Gangopadhyay, R.
—; Ghosh, P.: Uncatalyzed Photografting of Polyacrylamide from Functionalized Cellulosic and Lignocellulosic Materials, 1623
Ganina, L. V. See Mikhailov, Yu. M., 2353
Gao, G. See Yu, X., 1898
Garnier, S. See Zhao, C., 359
Gauthier, C. See Labour, T., 195
Gavara, R. See Aucejo, S., 1201
Gavrailova, G. See Gjurova, K., 3324
Gaztelumendi, M. See Erro, R., 1539
Ge, J. See Zhong, W., 2546
Geißler, U. See Lappan, U., 1571
George, B.
—; Rajasekharan Pillai, V. N.; Mathew, B.: Effect of the Nature of the Crosslinking Agent on the Metal-Ion Complexation Characteristics of 4 Mol % DVB- and NNMBA-Crosslinked Polyacrylamide-Supported Glycines, 3432
George, S. C.
—; Prasad, K.; Misra, J. P.; Thomas, S.: Separation of Alkane–Acetone Mixtures Using Styrene–Butadiene Rubber/Natural Rubber Blend Membranes, 3059
Gerard, M. See Saraswathi, R., 145
Gerber, M. See Huang, L., 937
German, A. L. See Kemmere, M. F., 1780, 3225
Ghannam, M. T.
—; Interfacial Properties of Polyacrylamide Solutions, 219
Ghoreishy, M. H. R.
—; Nouri, M. R.: Finite Element Analysis of Thermoplastic Melts Flow through the Metering and Die Regions of Single Screw Extruders, 676
Ghosh, I.
—; Jain, R. K.; Glasser, W. G.: Multiphase Materials with Lignin. XV. Blends of Cellulose Acetate Butyrate with Lignin Esters, 448
Ghosh, P. See Gangopadhyay, R., 1623
Giesemann, J. See Rudolph, S., 439
Gjurova, K.
—; Uzov, C.; Popov, A.; Zagortcheva, M.; Gavrailova, G.: Thermostabilizing Effect of Copper(II) Bromide on Poly(ethylene oxide) in Their Binary Blends, 3324
Glasser, W. G. See Ghosh, I., 448
Gleason, K. K. See Labelle, C. B., 2439
Gnanasundaram, P. See Thamizharasi, S., 1186
Goh, S. H. See Zhang, L., 383
Golemme, G. See Muzzalupo, R., 1119
Gong, Z. See Hua, J., 2457
González, I. M. See Estenoz, D. A., 1950
Goods, S. H.
—; Neuschwanger, C. L.; Whinnery, L. L.; Nix, W. D.: Mechanical Properties of a Particle-Strengthened Polyurethane Foam, 2724
Gopinathan Nair, M. R. See Paul, C. J., 706
Gorelova, M. See Barcia, F. L., 1424
Goto, S.-I.
—; Kimura, K.; Yamamoto, T.; Yamashita, S.: A Novel Gas-Barrier Elastomer Composed of Butyl Rubber and Polyamide, 3548
Gould, S. A. C.
—; Shulman, J. B.; Schiraldi, D. A.; Occelli, M. L.: Atomic Force Microscopy (AFM) Studies of Liquid Crystalline Polymer (LCP) Surfaces, 2243
Gouri, C.
—; Reghunadhan Nair, C. P.; Ramaswamy, R.: Effect of Elastomer Modification on the Adhesive Characteristics of Maleimide-Functional Phenolic Resins, 2321
Gourson, C.
—; Benhaddou, R.; Granet, R.; Krausz, P.; Verneuil, B.; Branland, P.; Chauvelon, G.; Thibault, J. F.; Saulnier, L.: Valorization of Maize Bran to Obtain Biodegradable Plastic Films, 3040
—; See Chauvelon, G., 1937
Gowayed, Y. See Lin, W., 2386
Gradwell, M. H. S. See Shelver, S. R., 1371
Granet, R. See Chauvelon, G., 1937; Gourson, C., 3040
Gravchev, I.
—; Moneva, I.: Synthesis and Properties of Vinylic Copolymers with Fluorescent Moieties as Optical Brighteners for Liquid Crystals, 151
Gregor, H. P. See Han, W., 1271
Grenet, J. See Dargent, E., 2716
Grubbs, W. T. See Dudi, O., 2133
Gu, L.
—; Hrymak, A. N.; Zhu, S.: Grafting of Polyelectrolytes onto Polyacrylamide by Reactive Processing, 1412
Gu, Z. See Zhong, W., 2546
Guangxia, J. See Yufeng, Z., 670
Guerra, G. See Reverchon, E., 2077
Guillet, J. See Arsac, A., 2625
Guiver, M. D. See Yoshikawa, M., 407

Gunatillake, P. A. See Adhikari, R., 2979
Gündüz, G. See Galip, H., 2906
Güner, F. S. See Beker, Ü. G., 3501
Guo, D. See Tang, J., 1927
Guo, Q.
—; Zheng, H.: Crystallization Kinetics of Thermosetting Polymer Blends of Poly(e-Caprolactone) and Unsaturated Polyester Resin, 322
Guo, T.-T. See Ou, Y.-C., 2397
Guo, W. See Tang, J., 1927
Guo, X. See Hua, J., 2457
Guozhong Xu, G.
—; Qi-Xiang Yang, C.: Comparison of the Kraft Paper Crosslinked by Polymeric Carboxylic Acids of Large and Small Molecular Sizes: Dry and Wet Performance, 907
Guven, O. See Katircioglu, T. Y., 1108

Ha, C.-S.
—; Park, H.-D.; Cho, W.-J.: Recycling of Commingled Plastics by Cellulosic Reinforcement, 1531
—; See Kang, T. K., 1797; Park, J., 1432; Park, K.-G., 3259
Haag, M. C.
—; Dos Santos, J. H. Z.; Stedile, F. C.; Dupont, J.: Residual Metal Content in Ethylene-Propylene-Diene Monomers Synthesized Using Vanadium- and Zirconocene-Based Catalysts, 1997
Hajji, P. See Labour, T., 195
Halstead, T. K. See Vichi, F. M., 2660
Hamada, K. See Sayo, K., 1654
Hammam, M. See Bakr, N. A., 3316
Han, H. See Chung, H., 3287
Han, K.
—; Lee, H.-J.; Rhee, T. H.: Low-Loss Passive Polymer Waveguides by Using Chlorofluorinated Polyimides, 107
Han, W.
—; Gregor, H. P.; Pearce, E. M.: Acrylonitrile Copolymers: Synthesis, Characterization, and Formation of Ultrafiltration Membranes, 1271
Ha, W. S. See Park, S. J., 2571
Handa, K. See Ashida, T., 2955
Harris, J. M. See Won, C.-Y., 913
Hasegawa, K. See Kimura, H., 2266
Hasegawa, N.
—; Okamoto, H.; Kawasumi, M.; Usuki, A.: Preparation and Mechanical Properties of Polystyrene–Clay Hybrids, 3359
Hasegawa, S. See Minagawa, M., 2820
Hasik, M. See Juvin, P., 471
Hasipoğlu, H. See Galip, H., 2906
Hautojärvi, J.
—; Leijala, A.: A Morphological Study of Melt-Spun Polypropylene Filaments by Atomic Force Microscopy, 1242
Hay, A. S. See Meng, Y., 3069
Hayashi, S. See Sayo, K., 1654
He, Y.-B.
—; Meng, L.-Z.; Wu, C.-T.; Qian, T.: Preparation and Coordination Behavior of Cellulose Beads Derivative Modified by 1,5-Diaminoethyl-3-Hydroxy-1,5-Diazacycloheptane, 1278
Hegazy, E.-S. A. See Abd El-Rehim, H. A., 806
Hekmatyar, S. K. See Brar, A. S., 3026
Hendrix, R. See Chisholm, B. J., 889
Hernández, P. J. See Mendizábal, E., 3299
Hess, C.
—; Hirt, P.; Oppermann, W.: Influence of Branching on the Properties of Poly(ethylene terephthalate) Fibers, 728
Hicke, H.-G. See Papra, A., 1669
Higashiura, S. See Shimizu, T., 1395
Higuchi, A. See Hoshi, M., 983
Hill, C. A. S. See Fang, J. M., 2301
Hirata, K. See Wang, C. L., 2522
Hirotsu, T. See Wang, C. L., 2522
Hirt, P. See Hess, C., 728
Hjärtstam, J.
—; Hjertberg, T.: Studies of the Water Permeability and Mechanical Properties of a Film Made of an Ethyl Cellulose–Ethanol–Water Ternary Mixture, 2056
Hjertberg, T. See Hjärtstam, J., 2056
Ho, T.-H.
—; Wang, C.-S.: Synthesis of Aralkyl Novolac Epoxy Resins and Their Modification with Polysiloxane Thermoplastic Polyurethane for Semiconductor Encapsulation, 1905
Hojko, P.
—; Cifra, P.; Bleha, T.; Chodák, I.: Fracture Toughness of Interface of Polyethylene Modified in Bulk, 1009
Holler, P. See Podešva, J., 3203
Hong, K. H. See Oh, K. W., 2094
Hong, S. M. See Kim, S. H., 2448
Horanont, P. See Premphet, K., 3445
Horiuchi, S.
—; Kajita, T.; Tachibana, T.: Preparation of Pigment–Polymer Hybrid Particles for Plastic Colorants by Dry-Impact Blending Method, 1762
Horton, J. R. See Huang, L., 937
Hoshi, M.
—; Saitoh, T.; Yoshioka, C.; Higuchi, A.; Nakagawa, T.: Pervaporation Separation of 1,1,2-Trichloroethane–Water Mixture Through Crosslinked Acrylate Copolymer Composite Membranes, 983
Hossain, M. See Khan, M. A., 900
Hourston, D. J.
—; Williams, G. D.; Satguru, R.; Padget, J. C.; Pears, D.: The Influence of the Degree of Neutralization, the Ionic Moiety, and the Counterion on Water-Dispersible Polyurethanes, 556
—; See Pang, Y. X., 2868
Hrymak, A. N. See Gu, L., 1412
Hsieh, K. H. See Chern, Y. C., 328
Hsu, C.-H. See Lee, W.-F., 3242
Hsu, K. Y. See Chang, C. J., 1321
Hsu, S.-C.
—; Liao, Y.-L.; Chiu, W.-Y.: Polymer Latex Containing Carboxylic Acid Functional

Groups. II. Humidity-Sensitive Properties of Rigid Films Made From MMA and AA, 3121
—; Liao, Y.-L.; Lee, C.-F.; Chiu, W.-Y.: Polymer Latex Containing Carboxylic Acid Functional Groups. I. Synthesis of Polymer Latex from MMA and AA, 3111
Hsu, W.-P.
—; Effect of Tacticity of Poly(methyl methacrylate) on the Miscibility with Poly(styrene-*co*-acrylonitrile), 2894
Hu, H. J. See Pang, Y. X., 2868
Hu, J. See Hua, J., 2457
Hu, K. See Tang, J., 1927
Hu, M.-S. See Wang, H.-H., 3046
Hu, Y.-S. See Denq, B.-L., 229
Hua, J.
—; Liu, Y.; Hu, J.; Wang, Q.; Gong, Z.; Guo, X.: Thermal Phase Transition of Poly(*N*-propionylethyleneimine) Hydrogel, 2457
Huang, C. C. See Liu, Y. X., 816
Huang, H.
—; Structure Development and Property Changes in High-Density Polyethylene/Calcium Carbonate Blends During Pan-Milling, 1459
Huang, J. See Lu, Z., 2072
Huang, L.
—; Taylor, H.; Gerber, M.; Orndorff, P. E.; Horton, J. R.; Tonelli, A.: Formation of Antibiotic, Biodegradable/Bioabsorbable Polymers by Processing with Neomycin Sulfate and Its Inclusion Compound with β-Cyclodextrin, 937
Huang, R. See Ye, L., 211
Huang, S.-L.
—; Ou, C.-F.; Chao, M.-S.; Lai, J.-Y.: Structure–Protein Adsorption Relationships of Polyurethanes, 297
—; Ou, C.-F.; Lai, J.-Y.: Polyurethane Membrane Prepared via a Dry/Wet Phase Inversion Method for Protein Adsorption, 1334
Huang, W. See Yin, S., 3535
Huang, Y. See Xu, Z.-L., 2220
Hughes, O. R.
—; Kurschus, D. K.; Saw, C. K.; Flint, J.; Bruno, T. P.; Chen, R. T.: Generation of a Fibrillar Core in PET Fiber by Cold Drawing, 2335
Huh, W. See Hwang, J. W., 33
Hulleman, S. H. D. See Vikman, M., 2594
Hwang, H. See Mah, S., 2637
Hwang, J. W.
—; Cho, K.; Park, C. E.; Huh, W.: Phase Separation Behavior of Cyanate Ester Resin/Polysulfone Blends, 33
Hwang, S. S. See Kim, S. H., 2448

Ibrahim Sharra, S. See Ateia, E., 1890
Idage, B. B. See Paul, C. J., 706
Idriss Ali, K. M. See Khan, M. A., 900
Iijima, T.
—; Maeda, T.; Tomoi, M.: Toughening of Cyanate Ester Resin by N-Phenylmaleimide–Styrene Copolymers, 2931
Ilavský, M. See Vazquez, A., 2877
Inagawa, T. See Akutsu, F., 1366
Inoki, M. See Akutsu, F., 1366
Iordanskii, A. L.
—; Dmitriev, E. V.; Kamaev, P. P.; Zaikov, G. E.: Desorption of Human Serum Albumin and Human Fibrinogen from the Poly(3-hydroxybutyrate) Surface, 595
Iroh, J. O. See Chen, Y., 502
Ise, E. See Okubo, M., 278
Ishiaku, U. S. See Mohd Ishak, Z. A., 2470
Ishiaku, U. S. See Mousa, A., 2886
Ito, M. See Ono, S., 2529
Iwakura, K. See Nakane, K., 133
Iyer, S. See Thakore, I. M., 2791

Jain, R. K. See Ghosh, I., 448
Jaisankar, S. N. See Balakrishnan, S., 2102
Jakisch, L. See Kelnar, I., 1404
Janevski, A.
—; Bogoeva-Gaceva, G.; Mader, E.: DSC Analysis of Crystallization and Melting Behavior of Polypropylene in Model Composites with Glass and Poly(ethylene terephthalate) Fibers, 239
Jang, L. W. See Noh, M. H., 179
Jang, S.-F. See Mi, F.-L., 1093, 1868
Jaykannan, M.
—; Ramakrishnan, S.: Effect of Branching on the Crystallization Kinetics of Poly(ethylene terephthalate), 59
Jeevananda, T.
—; Palaniappan, S.; Siddaramaiah: Spectral and Thermal Studies on Polyaniline–Epoxy Novolac Resin Composite Materials, 3507
Jelínek, M. See Myslík, V., 1614
Jen, H.-L. See Liu, J.-H., 2947
Jérôme, C.
—; Martinot, L.; Jérôme, R.: Electrochemical Study of the Uranium Exchange by Polypyrrole-Based Resins, 3473
Jérôme, R. See Jérôme, C., 3473
Jha, A.
—; Dutta, B.; Bhowmick, A. K.: Effect of Fillers and Plasticizers on the Performance of Novel Heat and Oil-Resistant Thermoplastic Elastomers from Nylon-6 and Acrylate Rubber Blends, 1490
Jia, D. M. See Pang, Y. X., 2868
Jiang, W. See Tjong, S. C., 2274
Jiang, X.
—; Tai, H.; Xia, P.; Yan, D.: Kinetics for Copolymerization of Methyl Methacrylate with *N*-Cyclohexylmaleimide, 1293
—; Yan, D.; Zhu, X.; Lin, J.; Xia, P.: Radical Copolymerization Between Methyl Methacrylate and *N*-cyclohexylmaleimide with Thiol as an Inifer, 1417
Jiang, Z. See Shibata, M., 1686
Jianming, L. See Qi, C., 1140
Jin, L.-P. See Tang, B., 2588
Joe, Y. See Chung, H., 3287
Jothikumar, N. See Vidhya, V., 2482
Jou, W.-S. See Yeh, J.-T., 2158
Jun, J.-B.
—; Park, J.-G.; Suh, K.-D.: Functionalization of Ethylene–Propylene Elastomer with

Isocyanate Group and Its Blend with Polyamide (Note), 465
Jungnickel, B.-J. See Ton-That, T. M., 3275
Jurkowska, B.
—; Olkhov, Y. A.; Jurkowski, B.: Application of Thermomechanical Mass Spectroscopy for Analysis of Molecular and Topological Structure of Rubber, 490
—; Olkhov, Y. A.; Jurkowski, B.; Olkhova, O. M.: On a Structure of NR and BR Carbon Black Filled Rubber Compounds and Vulcanizates, 3305
Jurkowski, B. See Jurkowska, B., 490, 3305; Pesetskii, S. S., 1054
Juvin, P.
—; Hasik, M.; Fraysse, J.; Planès, J.; Pron, A.; Kulszewicz-Bajer, I.: Conductive Blends of Polyaniline with Plasticized Poly(methyl methacrylate), 471
Jwo, S.-L.
—; Whang, W.-T.; Liaw, W.-C.: Effects of the Solubility Parameter of Polyimides and the Segment Length of Siloxane Block on the Morphology and Properties of Poly(imide siloxane), 2832

Kaiser, M. See Walker, M., 67
Kaji, M.
—; Nakahara, K.; Endo, T.: Synthesis of a Bifunctional Epoxy Monomer Containing Biphenyl Moiety and Properties of Its Cured Polymer with Phenol Novolac, 690
Kajita, T. See Horiuchi, S., 1762
Kajiuchi, T. See Cao, B., 753
Kalkar, A. K.
—; Kunte, V. V.; Deshpande, A. A.: Electro–optic Studies on Polymer-Dispersed Liquid Crystal Composite Films. I. Composites of PVB-E7, 3485
Kalliyana Krishnan, V.
—; Lizymol, P. P.; Nair, S. P.: Urethane Tetramethacrylates: Novel Substitutes as Resin Matrix in Radiopaque Dental Composites, 735
Kamaev, P. P. See Iordanskii, A. L., 595
Kang, D. W. See Kweon, D. K., 458
Kang, E. T. See Ang, A. K. S., 1478; Liu, Y. X., 816
Kang, T. K.
—; Kim, Y.; Ha, C.-S.: Rheological and Thermal Properties of Blends of Modified Poly(ethylene terephthalate) with *p*-Acetoxybenzoic acid and Poly(butylene terephthalate), 1797
Kaptan, H. Y. See Katircioglu, T. Y., 1108
Karger-Kocsis, J. See Mohd Ishak, Z. A., 2470; Papke, N., 2616
Kasashima, Y. See Akutsu, F., 1366
Kaštánek, A. See Podzimek, Š., 2432
Katakai, R. See Kondo, T., 2462
Katime, I. See Mendizábal, E., 3299
Katircioglu, T. Y.
—; Kaptan, H. Y.; Guven, O.: Determination of Oxygen Diffusion Coefficient of Poly(methacrylonitrile) II and the Calculation of Diffusion Activation Energy, 1108
Kato, K. See Wang, C. L., 2522
Kato, K. L.
—; Cameron, R. E.: Structure–Property Relationships in Thermally Aged Cellulose Fibers and Paper, 1465
Katoh, A. See Ashida, T., 2955
Kattan, M. See Dargent, E., 2716
Katti, D.
—; Krishnamurti, N.: Anionic Polymerisation of Alkyl Cyanoacrylates: *In Vitro* Model Studies for *In Vivo* Applications, 336
Kawada, T. See Nitta, K.-H., 958
Kawai, S. See Umemura, K., 1807
Kawasumi, M. See Hasegawa, N., 3359
Keleş, H.
—; Çelik, M.; Saçak, M.; Aksu, L.: Graft Copolymerization of Methyl Methacrylate upon Gelatin Initiated by Benzoyl Peroxide in Aqueous Medium, 1547
Kelnar, I.
—; Stephan, M.; Jakisch, L.; Fortelný, I.: Ternary Reactive Blends of Nylon-6 Matrix with Dispersed Rigid Brittle Polymer and Elastomer, 1404
Kemmere, M. F.
—; Meuldijk, J.; Drinkenburg, A. A. H.; German, A. L.: Colloidal Stability of High-Solids Polystyrene and Polyvinyl Acetate Latices, 1780
—; Meuldijk, J.; Drinkenburg, A. A. H.; German, A. L.: Emulsification in Batch Emulsion Polymerization, 3225
Kerres, J. See Walker, M., 67
Kerres, J. A.
—; Van Zyl, A. J.: Development of New Ionomer Blend Membranes, Their Characterization, and Their Application in the Perstractive Separation of Alkenes from Alkene–Alkane Mixtures. I. Polymer Modification, Ionomer Blend Membrane Preparation, and Characterization, 428
—; See Van Zyl, A. J., 422
Khairy, S. A. See Ateia, E., 1890
Khananashvili, L. M. See Aneli, J. N., 601; Mukbaniani, O. V., 583
Khan, M. A.
—; Hossain, M.; Idriss Ali, K. M.: Jute Composite with MMA by Gamma and UV Radiations in the Presence of Additives, 900
Khanna, P. See Vidhya, V., 2482
Kicko-Walczak, E.
—; New Ecological Polyester Resins with Reduced Flammability and Smoke Evolution Capacity, 379
Kim, D.-C. See Yoo, Y., 2856
Kim, D.-K.
—; Lee, S.-B.; Doh, K.-S.; Nam, Y.-W.: Synthesis of Block Copolymers Having Perfluoroalkyl and Silicone-Containing Side Chains Using Diazo Macroinitiator and Their Surface Properties, 1917
—; Lee, S.-B.; Doh, K.-S.; Nam, Y.-W.: Synthesis of Urethane

Graft Copolymers with Perfluoroalkyl and Silicone-Containing Side Chains and their Surface Properties, 2029
Kim, I. C.
—; Choi, J. G.; Tak, T. M.: Sulfonated Polyethersulfone by Heterogeneous Method and Its Membrane Performances, 2046
—; Kim, J. H.; Lee, K. H.; Tak, T. M.: Preparation of Soluble Polyimides and Ultrafiltration Membrane Performances, 2063
—; Tak, T. M.: Synthesis and Characterization of Soluble Random Copolyimides, 272
Kim, J. H. See Kim, I. C., 2063
Kim, J. K.
—; Fracture Behavior of Crumb Rubber-Filled Elastomers, 3137
Kim, J. Y. See Baik, K.-J., 2113; Kim, Y. D., 2124
Kim, S. C. See Baik, K.-J., 2113; Kim, Y. D., 2124
Kim, S. H.
—; Hong, S. M.; Hwang, S. S.; Yoo, H. O.: Rheological and Physical Properties of *In Situ* Composite Based on Liquid Crystalline Polymer and Poly(ethylene 2,6-naphthalate) Blends, 2448
—; See Oh, K. W., 2094
Kim, S. Y.
—; Lee, Y. M.: Drug Release Behavior of Electrical Responsive Poly(vinyl Alcohol)/Poly(acrylic acid) IPN Hydrogels Under an Electric Stimulus, 1752
—; See Choi, Y. B., 2083; Lee, M. S., 1836
Kim, T.-Y. See Yoo, Y., 2856
Kim, Y. See Kang, T. K., 1797
Kim, Y. B. See Ban, B. S., 267
Kim, Y. C.
—; Park, S.-J.: Effect of Electrochemical Treatment on Pull-Out Properties of 73/27 HBA/HNA Copolyester Fibers in Thermosetting Matrix, 15
Kim, Y. D.
—; Kim, J. Y.; Lee, H. K.; Kim, S. C.: Formation of Polyurethane Membranes by Immersion Precipitation. II. Morphology Formation, 2124
Kim, Y.-H. See Nam, C.-W., 2258
Kimura, H.
—; Murata, Y.; Matsumoto, A.; Hasegawa, K.; Ohtsuka, K.; Fukuda, A.: New Thermosetting Resin From Terpenediphenol-Based Benzoxazine and Epoxy Resin, 2266
Kimura, K. See Goto, S.-I., 3548
Kishida, A. See Seto, F., 1516, 1524
Kiso, Y.
—; Kitao, T.; Nishimura, K.: Adsorption Properties of Aromatic Compounds on Polyethylene as a Membrane Material, 1037
Kitao, T. See Kiso, Y., 1037
Ko, S.-W. See Nam, C.-W., 2258
Ko, T.-H.
—; Chen, C.-Y.: Improvement in the Properties of PAN-Based Carbon Films by Modification with Cobaltous Chloride, 1745
Kobayashi, Y. See Wang, C. L., 2522
Kohda, M. See Shiotani, A., 2404
Kojima, T. See Tsuchiya, M., 125
Kojima, Y.
—; Matsuoka, T.; Takahashi, H.: Preparation of Nylon 66/Mesoporous Molecular Sieve Composite under High Pressure, 3254
Köktürk, G. See Denizli, A., 2803
Kondo, T.
—; Kubota, H.; Katakai, R.: Reactivity of Glycidyl Methacrylate Grafted Cellulose Film Prepared by Grafting under Ultrasonic Irradiation, 2462
Kortleve, P. M. See van Soest, J. J. G., 2207
Koshy, P. See Paul, C. J., 706
Krausz, P. See Chauvelon, G., 1937; Gourson, C., 3040
Kressler, J. See Rudolph, S., 439
Krishnamurti, N. See Katti, D., 336
Krishnan, K. See Nair, C. P. R., 2737
Kříž, J. See Lokaj, J., 2378
Kuan, C.-Y. See Mi, F.-L., 1868
Kubatovics, F. See Botvay, A., 1
Kubo, Y. See Sakurai, H., 286
Kubota, H. See Kondo, T., 2462
Kulkarni, K. S. See Shukla, S. R., 1987
Kulkarni, S. K. See Athawale, A. A., 1286
Kulszewicz-Bajer, I. See Juvin, P., 471
Kunte, V. V. See Kalkar, A. K., 3485
Kurschus, D. K. See Hughes, O. R., 2335
Kushwaha, V. B.
—; Permeation of Molecules Through Different Polymeric Membranes, 3469
Kweon, D. K.
—; Kang, D. W.: Drug-Release Behavior of Chitosan-*g*-Poly(vinyl alcohol) Copolymer Matrix, 458

Labbe, M. See Marais, S., 3380
Labelle, C. B.
—; Gleason, K. K.: Surface Morphology of PECVD Fluorocarbon Thin Films from Hexafluoropropylene Oxide, 1,1,2,2-Tetrafluoroethane, and Difluoromethane, 2439
Labour, T.
—; Ferry, L.; Gauthier, C.; Hajji, P.; Vigier, G.: α- and β-Crystalline Forms of Isotactic Polypropylene Investigated by Nanoindentation, 195
Lai, J.-Y. See Huang, S.-L., 297, 1334; Teng, M.-Y., 647
Lappan, U.
—; Geißler, U.; Lunkwitz, K.: Electron Beam Irradiation of Polytetrafluoroethylene in Vacuum at Elevated Temperature: An Infrared Spectroscopic Study, 1571
Lauprêtre, F.
—; Bebelman, S.; Daoust, D.; Devaux, J.; Legras, R.; Costa, J. L.: NMR, Differential Scanning Calorimetry, and Fourier Transform Infrared Characterization of the Crystalline Degree and Crystallite Dimensions of Ethylene Runs in Isotactic Polypropylene/Ethylene-Propylene Copolymer Blends (iPP/EP), 3165
Laverde, D. See Rojas, V., 1078

Lawandy, S. N. See Darwish, N. A., 762
Lazzeri, A.
—; Malanima, M.; Pracella, M.: Reactive Compatibilization and Fracture Behavior in Nylon 6/VLDPE Blends, 3455
Lebaudy, P. See Dargent, E., 2716
Ledru, J. See Dargent, E., 2716
Lee, B. H. See Rana, D., 1169
Lee, C.-F. See Hsu, S.-C., 3111
Lee, D. C. See Noh, M. H., 179, 2811
Lee, D. S. See Shim, W. S., 311
Lee, H.-J. See Han, K., 107
Lee, H. K. See Baik, K.-J., 2113; Kim, Y. D., 2124; Kim, I. C., 2063
Lee, K.-R. See Teng, M.-Y., 647
Lee, K. Y. See Park, S. J., 2571
Lee, M. S.
—; Oh, T. H.; Kim, S. Y.; Shim, H. J.: Deformation Kinetics of Polypropylene Hollow Fibers in a Continuous Drawing Process, 1836
Lee, S.-B. See Kim, D.-K., 1917, 2029
Lee, S.-T. See Mi, F.-L., 1093, 1868
Lee, S. Y. See Zhang, L., 383
Lee, W.-F.
—; Hsu, C.-H.: Thermoreversible Hydrogels. VII. Synthesis and Swelling Behavior of Poly(*N*-isopropylacrylamide-*co*-3-methyl-1-vinylimidazolium iodide) Hydrogels, 3242
—; Tu, Y.-M.: Graft Copolymerization of *N*-Isopropylacrylamide onto Poly(vinyl chloride), 1234
—; Yeh, P.-L.: Thermoreversible Hydrogels. VIII. Effect of a Zwitterionic Monomer on Swelling Behaviors of Thermosensitive Hydrogels Copolymerized by *N*-Isopropylacrylamide with *N,N′*-Dimethyl (Acrylamidopropyl) Ammonium Propane Sulfonate, 2170
Lee, Y. B.
—; Park, H. B.; Shim, J. K.; Lee, Y. M.: Synthesis and Characterization of Polyamideimide-Branched Siloxane and Its Gas-separation, 965
—; See Shim, J. K., 75
Lee, Y. M. See Kim, S. Y., 1752; Lee, Y. B., 965; Park, C. H., 83; Shim, J. K., 75
Legras, R. See Lauprêtre, F., 3165
Leijala, A. See Hautojärvi, J., 1242
Lele, A. See Thakore, I. M., 2791
Li, F. See Wu, S., 1992; Yu, X., 1898
Li, G.
—; Cowie, J. M. G.; Arrighi, V.: Miscibility of Polymer Blends of Poly(styrene-*co*-4-hydroxystyrene) with Bisphenol-A Polycarbonate, 639
Li, H. See Qi, C., 1140
Li, T. See Liu, X., 747
Li, T. Q. See Zhang, M. Q., 3376
Li, W. See Zhong, W., 2546
Li, X.-G.
—; Thermogravimetric Kinetics of Thermotropic Copolyesters Containing *p*-Oxybenzoate Unit by Multiple Heating Rate Methods, 2016
Li, Y.
—; De Kee, D.; Chan Man Fong, C. F.; Pintauro, P.; Burczyk, A.: Influence of External Stress on the Barrier Properties of Rubbers, 1584
—; See Liu, R., 2631; Yang, M., 2010
Li, Z. See Yang, L., 91
Liao, Y.-L. See Hsu, S.-C., 3111, 3121
Liaw, B. Y. See Ang, A. K. S., 1478
Liaw, D. J. See Ang, A. K. S., 1478; Liu, Y. X., 816
Liaw, D.-J. See Teng, M.-Y., 647
Liaw, W.-C. See Jwo, S.-L., 2832
Lin, C. H. See Wang, C. S., 1635
Lin, J. See Jiang, X., 1417
Lin, J.-J. See Tseng, F.-P., 2196
Lin, S. See Zhang, Z., 1071; Zhu, F., 1851
Lin, S.-F. See Tseng, F.-P., 2196
Lin, W.
—; Gowayed, Y.: Effects of Acid Dyes on Crystallization and Mechanical Properties of Melt-Reprocessed Nylon 66, 2386
Ling, M. See Yang, M., 2010
Linxian, F. See Yonghong, S., 2826
Liu, C.-M. See Shieh, Y.-T., 3404
Liu, H. See Tang, J., 1927
Liu, J. See Chen, G., 857
Liu, J.-H.
—; Jen, H.-L.; Chung, Y.-C.: Surface Modification of Polyethylene Membranes Using Phosphorylcholine Derivatives and Their Platelet Compatibility, 2947
Liu, L. See Zhang, L., 3541
Liu, R.
—; Li, Y.; Tang, H.: Application of the Modified Polyacrylonitrile Fiber with Amino-Carboxyl-Tetrazine Groups forthe Preconcentration of Trace Heavy Metal Ions, 2631
Liu, W. See Liu, X., 747; Wang, Q., 2611
Liu, W.-M. See Zhang, Z.-Z., 797
Liu, X.
—; Bertilsson, H.: Recycling of ABS and ABS/PC Blends, 510
—; Li, T.; Tian, N.; Liu, W.: Tribological Properties of PTFE-Filled PMIA (Note), 747
Liu, Y. See Hua, J., 2457
Liu, Y. X.
—; Kang, E. T.; Neoh, K. G.; Tan, K. L.; Huang, C. C.; Liaw, D. J.: Lamination of Polytetrafluoroethylene Films via Surface Thermal Graft Copolymerization with Ionic and Zwitterionic Monomers, 816
Liu, Z.
—; Feng, Y.; Yi, X.-S.: Thermoplastic Starch/PVAI Compounds: Preparation, Processing, and Properties, 2667
—; See Zhang, Z., 3145
Lizymol, P. P. See Kalliyana Krishnan, V., 735
Lo, Y.-W. See Chen, C.-H., 699
Lokaj, J.
—; Vlček, P.; Kříž, J.: Poly(styrene-*co*-*N*-butylmaleimide) Macroinitiators by Controlled Autopolymerization and Related Block Copolymers, 2378

López-Castañares, R. See Galvan-Sánchez, A., 995
López, D. See Reinecke, H., 1178
Lotti, N.
—; Finelli, L.; Munari, A.; Manaresi, P.: Preparation and Thermal Behavior of Random Poly(butylene terephthalate/azelate) Copolyesters, 2694
Lozinsky, V. I. See Damshkaln, L. G., 1978
Lu, A.-T. See Mi, F.-L., 1868
Lu, D.
—; Wong, C. P.: Novel Conductive Adhesives for Surface Mount Applications, 399
Lu, K.-T. See Mi, F.-L., 1093
Lu, Z.
—; Wan, D.; Huang, J.: Preparation of PMMA–PS–PMMA via Combination of Anionic and Photoinduced Charge-Transfer Polymerization, 2072
Luna, M. See Rivas, B. L., 1557
Lunkwitz, K. See Lappan, U., 1571
Luo, Y. See Cao, X., 3412
Lyons, G. See Sharma, H. S. S., 139

Ma, C.-C. M. See Wang, F.-Y., 2283
Ma, J. See Qi, C., 1140
Ma, R. See Shibata, M., 1686
Mäder, D.
—; Thomann, Y.; Suhm, J.; Mülhaupt, R.: Influence of Comonomer Incorporation on Morphology and Thermal and Mechanical Properties of Blends Based upon Isotactic Metallocene–Polypropene and Random Ethene/1-Butene Copolymers, 838
Mader, E. See Janevski, A., 239
Maeda, T. See Iijima, T., 2931
Mah, S.
—; Hwang, H.; Shin, J.-H.: Photoinduced Living Cationic Polymerization of Tetrahydrofuran. II: Synthesis of Four-Armed Star-Shaped Poly(tetrahydrofuran), 2637
Mai, K.
—; Zhang, S.; Zeng, H.: Nonisothermal Crystallization of Poly(phenylene sulfide) in Presence of Molten State of Crystalline Polyamide 6, 3033
Makhonina, L. I. See Mikhailov, Yu. M., 2353
Maki, T. See Matsuyama, H., 159, 171
Malanima, M. See Lazzeri, A., 3455
Malhotra, B. D. See Saraswathi, R., 145
Mallon, P. E.
—; McGill, W. J.: Polyisoprene, Poly(styrene-cobutadiene) and Their Blends. III. Tensile Properties of Tetramethylthiuram Disulfide/Sulfur and 2-Bisbenzothiazole-2,2′-disulfide/sulfur Compounds, 2143
—; McGill, W. J.: Polyisoprene, Poly(styrene-cobutadiene), and Their Blends. I. Vulcanization Reactions with Tetramethylthiuram Disulfide/Sulfur, 1250
—; McGill, W. J.: Polyisoprene, Poly(styrene-cobutadiene), and Their Blends. Part II. Vulcanization Reactions with 2-Bisbenzothiazole-2,2′-Disulfide/Sulfur, 1264
Manaresi, P. See Lotti, N., 2694
Mancusi, C. See Pucciariello, R., 1607
Manna, A. K.
—; De, P. P.; Tripathy, D. K.; De, S. K.; Peiffer, D. G.: Bonding Between Precipitated Silica and Epoxidized Natural Rubber in the Presence of Silane Coupling Agent, 389
Mansour, A. F. See Bakr, N. A., 3316
Mao, L.
—; Ritcey, A. M.: Preparation of Cellulose Derivatives Containing the Carbazole Chromophore, 2764
Marais, S.
—; Metayer, M.; Labbe, M.: Water Diffusion and Permeability in Unsaturated Polyester Resin Films Characterized by Measurements Performed with a Water-Specific Permeameter: Analysis of the Transient Permeation, 3380
Marco, C. See Aucejo, S., 1201
Mares, F. See Tang, W., 1858
Marson, G. A.
—; El Seoud, O. A.: A Novel, Efficient Procedure for Acylation of Cellulose under Homogeneous Solution Conditions, 1355
Martínez-Nicolás, G. See Bermúdez, M. D., 831
Martinot, L. See Jérôme, C., 3473
Marturunkakul, S. See Chen, J.-I., 1341
Martuscelli, E. See Musto, P., 532
Marushima, K. See Akutsu, F., 1366
Marzocca, A. J. See Cerveny, S., 2747
Masada, I. See Mizutani, Y., 722
Máthé, Á. See Botvay, A., 1
Mathew, B. See George, B., 3432
Mathew, D.
—; Reghunadhan Nair, C. P.; Ninan, K. N.: Bisphenol A Dicyanate–Novolac Epoxy Blend: Cure Characteristics, Physical and Mechanical Properties, and Application in Composites, 1675
Mathur, G. N. See Setua, D. K., 480
Matsumoto, A.
—; Nakamura, S.: Radical Polymerization of Methyl Methacrylate in the Presence of Magnesium Bromide as the Lewis Acid, 290
—; See Kimura, H., 2266
Matsuoka, T. See Kojima, Y., 3254
Matsuura, T. See Boucher-Sharma, A. P., 47
Matsuyama, H.
—; Teramoto, M.; Nakatani, R.; Maki, T.: Membrane Formation via Phase Separation Induced by Penetration of Nonsolvent from Vapor Phase. II. Membrane Morphology, 171
—; Teramoto, M.; Nakatani, R.; Maki, T.: Membrane Formation via Phase Separation Induced by Penretration of Nonsolvent from Vapor Phase. I. Phase Diagram and Mass Transfer Process, 159

Maturana, H. A. See Rivas, B. L., 1557
Mauler, R. S. See Simanke, A. G., 1194
McCarthy, S. J. See Adhikari, R., 2979
McCormick, C. L. See Richardson, M. F., 2290
McDonnell, M. E. See Tang, W., 1858
McGill, W. J. See Mallon, P. E., 1250, 1264, 2143; Shelver, S. R., 1371
McHugh, M. A. See Mertdogan, C. A., 2039
Meesiri, W. See Chantaratcharoen, A., 2414
Meidong, Z. See Zhongming, L., 1649
Meijs, G. F. See Adhikari, R., 2979
Meira, G. R. See Estenoz, D. A., 1950
Meladze, S. M. See Mukbaniani, O. V., 583
Mendizábal, E.
—; Hernández, P. J.; Puig, J. E.; Canche-Escamilla, G.; Katime, I.; Castaño, V.: Effect of pH on the Mechanical Properties of Functionalized Polymers Prepared by Emulsion Polymerization, 3299
Meng, L.-Z. See He, Y.-B., 1278
Meng, Y.
—; Hay, A. S.: Crosslinking of Poly(arylene disulfide)s and Poly(arylene sulfane)s Derived from Cyclic(arylene disulfide) Oligomers, 3069
Meng, Y. Z. See Tjong, S. C., 1827
Menge, H. See Rudolph, S., 439
Menke, T. J. See Rudolph, S., 439
Mertdogan, C. A.
—; McHugh, M. A.; Tuminello, W. H.: Cosolvency Effect of SF_6 on the Solubility of Poly(tetrafluoroethylene-*co*-19 mol % Hexafluoropropylene) in Supercritical CO_2 and CHF_3, 2039
Metayer, M. See Marais, S., 3380
Meuldijk, J. See Kemmere, M. F., 1780, 3225
Mi, F.-L.
—; Shyu, S.-S.; Kuan, C.-Y.; Lee, S.-T.; Lu, A.-T.; Jang, S.-F.: Chitosan–Polyelectrolyte Complexation for the Preparation of Gel Beads and Controlled Release of Anticancer Drug: 1. Effect of Phosphorous Polyelectrolyte Complex and Enzymatic Hydrolysis of Polymer, 1868
—; Shyu, S.-S.; Wong, T.-B.; Jang, S.-F.; Lee, S.-T.; Lu, K.-T.: Chitosan–Polyelectrolyte Complexation for the Preparation of Gel Beads and Controlled Release of Anticancer Drug. II. Effect of pH-Dependent Ionic Crosslinking or Interpolymer Complex Using Tripolyphosphate or Polyphosphate as Reagent, 1093
Mijangos, C. See Reinecke, H., 1178
Mikado, T. See Wang, C. L., 2522
Mikhailov, Yu. M.
—; Ganina, L. V.; Makhonina, L. I.; Smirnov, V. S.; Shapayeva, N. V.: Mutual Diffusion and Phase Equilibrium in Copolymers of Nonyl Acrylate and Acrylic Acid–Diglycidyl Ether of Bisphenol A Systems, 2353
Min, K. See Shin, Y., 2911
Minagawa, M.
—; Narisawa, I.; Sugisawa, H.; Hasegawa, S.; Yoshii, F.: Solid-State Characterization and the Thermal Properties of Stereoregular Poly(Vinyl Chloride) Prepared by Urea Clathrate Polymerization, 2820
Ming, X. See Zhongming, L., 1649
Mishra, S.
—; Baweja, B.; Chandra, R.: Studies on Dynamic and Static Crosslinking of Ethylene Vinyl Acetate and Ethylene Propylene Diene Tercopolymer Blends, 2756
Misra, J. P. See George, S. C., 3059
Mitomo, H. See Darwis, D., 1815
Mitra, A. See Saujanya, C., 3522
Miyagawa, K. See Ogawa, I., 1693, 1701
Mizutani, Y.
—; Nagō, S.; Masada, I.: Microporous Polypropylene Fibers Containing Fine Particles of Poly(styrene-co-divinylbenzene) or Poly(glycidylmethacrylate-co-divinylbenzene), 722
Mohammadi-Rovshandeh, J.
—; Farnia, S. M. F.; Sarbolouki, M. N.: Synthesis and Characterization of Novel ABA Triblock Copolymers from L-Lactide, Glycolide, and PEG, 2004
Mohd Ishak, Z. A.
—; Ishiaku, U. S.; Karger-Kocsis, J.: Hygrothermal Aging and Fracture Behavior of Styrene-Acrylonitrile/Acrylate Based Core–Shell Rubber Toughened Poly(butylene terephthalate), 2470
Mohd Ishak, Z. A. See Mousa, A., 2886
Mondragon, I. See Remiro, P. M., 772
Moneva, I. See Gravchev, I., 151
Montserrat, S. See Flaqué, C., 201
More, M. A. See Patil, S., 3009
Mori, H. See Nitta, K.-H., 958
Mousa, A.
—; Ishiaku, U. S.; Mohd Ishak, Z. A.: Rheological and Viscoelastic Behavior of Dynamically Vulcanized Poly(vinyl chloride)–Epoxidized Natural-Rubber Thermoplastic Elastomers, 2886
Mudra, I. See Varga, J., 2357
Muhtaroğullari, I. Y.
—; Doğan, A.; Muhtaroğullari, M.; Usanmaz, A.: Thermal and Dynamic Mechanical Properties of Microwave and Heat-Cured Poly(methyl mathacrylate) Used as Dental Base Material, 2971
Muhtaroğullari, M. See Muhtaroğullari, I. Y., 2971
Mukbaniani, O. V.
—; Meladze, S. M.; Esartia, I. G.; Tverdokhlebova, I. I.; Khananashvili, L. M.: Cyclolinear Organosilicon Copolymers with Monocyclic Fragments in the Side Chain, 583
Mülhaupt, R. See Mäder, D., 838

Munari, A. See Lotti, N., 2694
Muraoka, Y. See Seto, F., 1516, 1524
Murata, Y. See Kimura, H., 2266
Musto, P.
—; Martuscelli, E.; Ragosta, G.; Russo, P.; Villano, P.: Tetrafunctional Epoxy Resins: Modeling the Curing Kinetics Based on FTIR Spectroscopy Data, 532
Muzzalupo, R.
—; Ranieri, G. A.; Golemme, G.; Drioli, E.: Self-Diffusion Measurements of Organic Molecules in PDMS and Water in Sodium Alginate Membranes, 1119
Mylläri nen, P. See Vikman, M., 2594
Myslík, V.
—; Vrňata, M.; Vysloužil, F.; Jelínek, M.; Novotná, M.: Pulsed-Laser Deposition of Metal Acetyl Acetonates for Sensor Devices, 1614

Nagō, S. See Mizutani, Y., 722
Nair, C. P. R.
—; Francis, T.; Vijayan, T. M.; Krishnan, K.: Sequential Interprenetrating Polymer Networks from Bisphenol A based Cyanate Ester and Bismaleimide: Properties of the Neat Resin and Composites, 2737
Nair, S. P. See Kalliyana Krishnan, V., 735
Nakagawa, T. See Hoshi, M., 983
Nakahara, K. See Kaji, M., 690
Nakamura, S. See Matsumoto, A., 290
Nakane, K.
—; Yamashita, T.; Iwakura, K.; Suzuki, F.: Properties and Structure of Poly(vinyl alcohol)/Silica Composites, 133
Nakatani, R. See Matsuyama, H., 159, 171
Nam, C.-W.
—; Kim, Y.-H.; Ko, S.-W.: Modification of Polyacrylonitrile (PAN) Fiber by Blending with *N*-(2-Hydroxy)propyl-3-trimethylammonium Chitosan Chloride, 2258
Nam, S. Y. See Park, C. H., 83
Nam, Y.-W. See Kim, D.-K., 1917, 2029
Narisawa, I. See Minagawa, M., 2820
Narkis, M. See Breuer, O., 1731
Nazábal, J. See Erro, R., 1539
Neelakantan, N. R. See Balakrishnan, S., 2102
Neoh, K. G. See Ang, A. K. S., 1478; Liu, Y. X., 816
Neuschwanger, C. L. See Goods, S. H., 2724
Ni, S.-L. See Shen, Q.-D., 2674
Nicolais, L. See Carotenuto, G., 2703
Ninan, K. N. See Mathew, D., 1675
Ning, K. J. See Zhang, M. Q., 3376
Nishimura, K. See Darwis, D., 1815; Kiso, Y., 1037
Nitta, K.-H.
—; Kawada, T.; Prokhorov, V. V.; Yamahiro, M.; Mori, H.; Terano, M.: Characterization and Properties of Polypropylene-*block*-poly(ethylene-*co*-propylene) Synthesized by Short-Period Polymerization, 958
Nix, W. D. See Goods, S. H., 2724
Noh, M. H.
—; Jang, L. W.; Lee, D. C.: Intercalation of Styrene–Acrylonitrile Copolymer in Layered Silicate by Emulsion Polymerization, 179
—; Lee, D. C.: Comparison of Characteristics of SAN–MMT Nanocomposites Prepared by Emulsion and Solution Polymerization, 2811
Noureddini, H. See Tadros, R. M., 3513
Nouri, M. R. See Ghoreishy, M. H. R., 676
Novotná, M. See Myslík, V., 1614
Nunes, R. C. R. See Pastorini, M. T., 1361
Núñez, L.
—; Fraga, F.; Núñez, M. R.; Castro, A.; Fraga, L.: Effects of Diffusion on the Kinetic Study of the System BADGE *n* = 0/*m*-Xylylenediamine, 2997
—; Villanueva, M.; Fraga, F.; Núñez, M. R.: Influence of Water Absorption on the Mechanical Properties of a DGEBA (*n* = 0)/1, 2 DCH Epoxy System, 353
Núñez, M. R. See Núñez, L., 353, 2997

Obori, H.
—; Takenaga, M.: Adhesive Failure Peak in Peel Spectra, 264
Occelli, M. L. See Gould, S. A. C., 2243
Ochi, M. See Ashida, T., 2955
Ogawa, I.
—; Yamano, H.; Miyagawa, K.: Application of Deaerated Water in Extraction of Colorants from Dyer's Saffron Florets, 1701
—; Yamano, H.; Miyagawa, K.: Application of Deaerated Water in Swelling of Cellulose and Amylose and Cotton Desizing with Enzyme, 1693
Oh, K. W.
—; Hong, K. H.; Kim, S. H.: Electrically Conductive Textiles by *in situ* Polymerization of Aniline, 2094
Oh, T. H. See Lee, M. S., 1836
Ohdaira, T. See Wang, C. L., 2522
Ohguchi, M. See Shimizu, T., 1395
Ohtsuka, K. See Kimura, H., 2266
Ojeda, M. C. See Del Río, C., 1003
Okada, M.
—; Tachikawa, K.; Aoi, K.: Biodegradable Polymers Based on Renewable Resources. III. Copolyesters Composed of 1,4 : 3,6-Dianhydro-D-glucitol, 1,1-Bis(5-carboxy-2-furyl)ethane and Aliphatic Dicarboxylic Acid Units, 3342
Okada, T. See Wang, W., 306
Okamoto, H. See Hasegawa, N., 3359
Okay, O.
—; Formation of Macroporous Styrene–Divinylbenzene Copolymer Networks: Theory vs Experiments, 2181
Okubo, M.
—; Ise, E.; Yamashita, T.: Synthesis of Greater Than 10-

μm-Sized, Monodispersed Polymer Particles by One-step Seeded Polymerization for Highly Monomer-Swollen Polymer Particles Prepared Utilizing the Dynamic Swelling Method, 278
Okuda, Y. See Sakurai, H., 286
Oliva, H. M. See Estenoz, D. A., 1950
Olkhova, O. M. See Jurkowska, B., 3305
Olkhov, Y. A. See Jurkowska, B., 490
Olkhov, Y. A. See Jurkowska, B., 3305
Ono, S.
—; Ito, M.; Tokumitsu, H.; Seki, K.: Structure Development in Silica-Filled Polyacrylate Rubber Composites during Mixing, 2529
Oppermann, W. See Hess, C., 728
Orndorff, P. E. See Huang, L., 937
Orreindy, S.
—; Rincón G., A.: Physical Aging of Bisphenol A Polycarbonate, 1646
Ou, C.-F. See Huang, S.-L., 297, 1334
Ou, Y.-C.
—; Guo, T.-T.; Fang, X.-P.; Yu, Z.-Z.: Toughening and Reinforcing Polypropylene with Core-Shell Structured Fillers, 2397
Ouillon, I. See Bichara, A., 3492

Padget, J. C. See Hourston, D. J., 556
Palaniappan, S. See Jeevananda, T., 3507
Palmen, J. H. M. See Steeman, P. A. M., 1220
Pan, C. See Wang, Y., 1502
Pan, Z. See Fan, J., 2605
Panayiotou, C. See Aburto, J., 1440; Botev, M., 523
Pandey, K. N. See Setua, D. K., 480
Pang, Y. X.
—; Jia, D. M.; Hu, H. J.; Hourston, D. J.; Song, M.: A Quantitative Estimation of the Extent of Compatibilization in Heterogeneous Polymer Blends Using Their Heat Capacity Increment at the Glass Transition, 2868
Pangarkar, V. G. See Ray, S. K., 2645
Papke, N.
—; Karger-Kocsis, J.: Determination Methods of the Grafting Yield in Glycidyl Methacrylate-Grafted Ethylene/Propylene/Diene Rubber (EPDM-g-GMA): Correlation Between FTIR and ^{1}H-NMR Analysis, 2616
Papra, A.
—; Hicke, H.-G.; Paul, D.: Synthesis of Peptides onto the Surface of Poly(Ethylene terephthalate) Particle Track Membranes, 1669
Park, C. E. See Hwang, J. W., 33
Park, C. H.
—; Nam, S. Y.; Lee, Y. M.: Pervaporation Separation of an Aqueous Organic Mixture Through a Poly(acrylonitrile-*co*-vinylphosphonic acid) Membrane, 83
Park, H. B. See Lee, Y. B., 965
Park, H.-D. See Ha, C.-S., 1531
Park, J.
—; Park, J.-G.; Choi, W.-M.; Ha, C.-S.; Cho, W.-J.: Synthesis and Photo- and Biodegradabilities of Poly (hydroxybutyrate-*co*-hydroxyvalerate)-*g*-phenyl vinyl ketone}, 1432
Park, J.-G. See Jun, J.-B., 465; Park, J., 1432; Park, K.-G., 3259
Park, K.-G.
—; Park, J.-G.; Ha, C.-S.; Cho, W.-J.: Syntheses and Properties of Graft Polymers of *N*-Substituted Acrylamides onto EPDM, 3259
Park, O. O. See Yoon, K. H., 2900
Park, S. J.
—; Lee, K. Y.; Ha, W. S.; Park, S. Y.: Structural Changes and Their Effect on Mechanical Properties of Silk Fibroin/Chitosan Blends, 2571
Park, S.-J. See Kim, Y. C., 15
Park, S. Y. See Park, S. J., 2571
Parng, J.-K. See Wang, T.-S., 413
Pastorini, M. T.
—; Nunes, R. C. R.: Mica as a Filler for ABS/Polycarbonate Blends, 1361
Patil, P. P. See Patil, S., 3009
Patil, S.
—; More, M. A.; Patil, P. P.: Poly(*O*-methoxyaniline) Thin Films: Cyclic Voltammetry Study, 3009
Paul, C. J.
—; Gopinathan Nair, M. R.; Koshy, P.; Idage, B. B.: Segmented Block Copolymers of Natural Rubber and Bisphenol A–Toluene Diisocyanate Oligomers, 706
Paul, D. See Papra, A., 1669
Paul, D. R. See Stretz, H. A., 1508
Paulisse, K. W. See Sanford, E. M., 2255
Pawlak, A.
—; Piorkowska, E.: Effect of Negative Pressure on Melting Behavior of Spherulites in Thin Films of Several Crystalline Polymers, 1380
Pearce, E. M. See Han, W., 1271; Ravey, M., 1317
Pears, D. See Hourston, D. J., 556
Peiffer, D. G. See Manna, A. K., 389
Pekcan, Ö.
—; Uğur, Ş.: Fast Transient Fluorescence Technique (FTRT) for Studying Dissolution of Polymer Glasses, 948
Pelfort, M. See Rodríguez-Galán, A., 2312
Pesetskii, S. S.
—; Fedorov, V. D.; Jurkowski, B.; Polosmak, N. D.: Blends of Thermoplastic Polyurethanes and Polyamide 12: Structure, Molecular Interactions, Relaxation, and Mechanical Properties, 1054
Pettarín, V. See Fasce, L., 2681
Pfromm, P. See Fan, X.-D., 1563
Pielichowski, K.
—; Binary Blends of Poly(vinyl chloride) Stabilized by Lithium Acetate Thermal Studies, 2576
Pintauro, P. See Li, Y., 1584
Pinzino, C. S. See Power, M. D., 1577

Piorkowska, E. See Pawlak, A., 1380
Pişkin, E. See Denizli, A., 2803
Pizzi, A. See Zhao, C., 359
Planès, J. See Juvin, P., 471
Podešva, J.
—; Holler, P.: Hydrogenation of Low-Molar-Mass, OH-Telechelic Polybutadienes. I. Methods Based on Diimide, 3203
—; Spěváček, J.; Dybal, J.: Hydrogenation of Low-Molar-Mass, OH-Telechelic Polybutadienes. II. Nuclear Magnetic Resonance and Infrared Spectrometric Determination of Hydroxyl End Groups Before and After Hydrogenation by Diimide, 3214
Podzimek, Š.
—; Kaštánek, A.: Characterization of Bisphenol A-Based Epoxy Resins by HPLC, GPC, GPC–MALLS, VPO, Viscometry, and End Group Analysis: On the Identification of 2,3-Dihydroxypropyl-Containing Compounds, Determination of Molar Mass Distribution, and Branching, 2432
Poh, B. T.
—; Te, C. S.: Dependence of Mooney Scorch Time of SMR L, ENR 25, and ENR 50 on Concentration and Types of Antioxidants, 2940
Polosmak, N. D. See Pesetskii, S. S., 1054
Pong, S.-H. See Chiu, S.-H., 541
Popov, A. See Gjurova, K., 3324
Pöppl, L. See Botvay, A., 1
Power, M. D.
—; Chappelow, C. C.; Pinzino, C. S.; Eick, J. D.: Bulk Polymerization and Characterization of Isocyanatoacrylate Copolymers, 1577
Pracella, M. See Lazzeri, A., 3455
Prasad, K. See George, S. C., 3059
Premphet, K.
—; Horanont, P.: Influence of Stearic Acid Treatment of Filler Particles on the Structure and Properties of Ternary-Phase Polypropylene Composites, 3445
Prinos, J. See Aburto, J., 1440
Prokhorov, V. V. See Nitta, K.-H., 958
Pron, A. See Juvin, P., 471
Prud'Homme, R. E. See Boiko, Y. M., 824
Pucciariello, R.
—; Villani, V.; Mancusi, C.: On Melt-Crystallization of Polytetrafluoroethylene and of Random Fluorinated Copolymers of Tetrafluoroethylene, 1607
Puengpipat, V. See Chen, J.-I., 1341
Puiggalí, J. See Rodríguez-Galán, A., 2312
Puig, J. E. See Mendizábal, E., 3299
Pukánszky, B. See Epacher, E., 1596

Qi, C.
—; Wu, Y.; Wang, T.; Li, H.; Shen, Y.; Jianming, L.; Wu, J.; Ma, J.: The Reaction Mechanism of Diethyl-2,3-dicyano-2,3-di(*p,m*-dimethoxylphenyl) Succinate with Styrene, 1140
Qian, T. See He, Y.-B., 1278
Qi-Xiang Yang, C. See Guozhong Xu, G., 907
Qu, X.
—; Wirsén, A.; Albertsson, A.-C.: Structural Change and Swelling Mechanism of pH-Sensitive Hydrogels Based on Chitosan and D,L-Lactic Acid, 3186
—; Wirsén, A.; Albertsson, A.-C.: Synthesis and Characterization of pH-Sensitive Hydrogels Based on Chitosan and D,L-Lactic Acid, 3193
Quijada, R. See Simanke, A. G., 1194

Radhakrishnan, S. See Saujanya, C., 3522
Ragosta, G. See Musto, P., 532
Rajasekharan Pillai, V. N. See George, B., 3432
Ramakrishnan, S. See Jaykannan, M., 59
Ramaswamy, R. See Gouri, C., 2321
Rana, D.
—; Cho, K.; Woo, T.; Lee, B. H.; Choe, S.: Blends of Ethylene 1-Octene Copolymer Synthesized by Ziegler–Natta and Metallocene Catalysts. I. Thermal and Mechanical Properties, 1169
Ranieri, G. A. See Muzzalupo, R., 1119
Rao, M. R.
—; Rao, V. L.: Microstructure and Thermal Degradation of Poly(ether ketone sulfone) Copolymers: ^{13}C NMR and Thermogravimetry Studies, 3425
Rao, V. L. See Rao, M. R., 3425
Rath, S. K. See Stelter, M., 2773
Räuchle, E. See Walker, M., 67
Ravey, M.
—; Pearce, E. M.: Flexible Polyurethane Foam. III. Phosphoric Acid as a Flame Retardant (Note), 1317
Ray, S. K.
—; Sawant, S. B.; Pangarkar, V. G.: Development of Methanol Selective Membranes for Separation of Methanol–Methyl Tertiary Butyl Ether Mixtures by Pervaporation, 2645
Reeves, J. T. See Sanford, E. M., 2255
Reghunadhan Nair, C. P.
—; Francis, T.: Blends of Bisphenol A-Based Cyanate Ester and Bismaleimide: Cure and Thermal Characteristics, 3365
—; See Gouri, C., 2321; Mathew, D., 1675
Reinecke, H.
—; López, D.; Mijangos, C.: New Aminated PVC Compounds: Synthesis and Characterization, 1178
Remiro, P. M.
—; Riccardi, C. C.; Corcuera, M. A.; Mondragon, I.: Design of Morphology in PMMA-Modified Epoxy Resins by Control of Curing Conditions. I. Phase Behavior, 772

Reverchon, E.
—; Guerra, G.; Venditto, V.: Regeneration of Nanoporous Crystalline Syndiotactic Polystyrene by Supercritical CO_2, 2077
Rhee, T. H. See Han, K., 107
Riccardi, C. C. See Remiro, P. M., 772
Richardson, M. F.
—; Armentrout, R. S.; McCormick, C. L.: Amphipathic Polymers with Stimuli-Responsive Microdomains for Water Remediation: Binding Studies with *p*-Cresol, 2290
Rincón G., A. See Orreindy, S., 1646
Ritcey, A. M. See Mao, L., 2764
Rivas, B. L.
—; Maturana, H. A.; Luna, M.: Selective Binding of Mercury Ions by Poly(4-vinylpyridine) Hydrochloride Resin, 1557
Robertson, G. P. See Yoshikawa, M., 407
Rodríguez-Galán, A.
—; Pelfort, M.; Aceituno, J. E.; Puiggalí, J.: Comparative Studies on the Degradability of Poly(ester amide)s Derived from L- and L,D-Alanine, 2312
Rohonczy, J. See Botvay, A., 1
Rojas, V.
—; Laverde, D.; Correa, R.: Anodic Electrodeposition of Asphalt–Polystyrene Emulsions on Galvanized Steel, 1078
Rousseau, A. See Bosc, D., 974
Rudolph, S.
—; Giesemann, J.; Kressler, J.; Menke, T. J.; Menge, H.; Arends, P.: Copolymerization and Characterization of Ethene–1-Hexene Copolymers Prepared by Using the $(Me_5Cp)_2ZrCl_2$–MAO Catalyst System, 439
Rui, H. See Zhongming, L., 1649
Russo, P. See Musto, P., 532
Ryttel, A.
—; Copolymerization of Ethyl Methacrylate with N-(3- or 4-Halogenphenyl)maleimides: The Monomer Reactivity Ratios, 2924
Saçak, M.
—; Electrochemical Synthesis of Poly(*N*-vinyl carbazole) Doped with HSO_4^- and NO_3^- Anions, 1792
Saçak, M. See Keleş, H., 1547
Sahoo, P. K.
—; Dey, M.; Swain, S. K.: Emulsifier-Free Emulsion Polymerization of Acrylonitrile: Effect of *In Situ* Developed Cu(II)/Glycine Chelate Complex Initiated by Monopersulfate, 2785
Saikia, C. N. See Tosh, B., 663
Sainte Beuve, J. See Bonfils, F., 3078
Saitoh, T. See Hoshi, M., 983
Sajjadi, S.
—; Brooks, B. W.: Semibatch Emulsion Polymerization Of Butyl Acrylate. I. Effect of Monomer Distribution, 3094
Sakurai, H.
—; Kubo, Y.; Shiotani, M.; Yahiro, H.; Okuda, Y.: Reduction of Poly(tetrafluoroethylene) by Aromatic Radical Anions: An ESR and NMR Study, 286
—; Shiotani, M.; Yahiro, H.: Radiation-Initiated Graft Polymerization of Methylmethacrylate onto Poly(tetrafluoroethylene): Characterization by ^{1}H-NMR, 1386
Salvadó, J. See Anglès, M. N., 1962
Sanford, E. M.
—; Paulisse, K. W.; Reeves, J. T.: A Computational Study of 2,5-Dibenzylidenecyclopentanone and 2,6-Dibenzylidenecyclopentanone and 2,6-Dibenzylidenecyclohexanone, Model Compounds for Poly(arylidenecycloalkanones), 2255
Sanjeeva Murthy, N. See Tang, W., 1858
Saraswathi, R.
—; Gerard, M.; Malhotra, B. D.: Characteristics of Aqueous Polycarbazole Batteries, 145
Sarbolouki, M. N. See Mohammadi-Rovshandeh, J., 2004
Satguru, R. See Hourston, D. J., 556
Saujanya, C.
—; Dhumal, A.; Mitra, A.; Radhakrishnan, S.: Structure, Growth, and Morphology in Para Nitroaniline Dispersed Polymethyl Methacrylate Guest-Host NLO Composites, 3522
Saulnier, L. See Chauvelon, G., 1937; Gourson, C., 3040
Saw, C. K. See Hughes, O. R., 2335
Sawant, S. B. See Ray, S. K., 2645
Saxena, A. K. See Setua, D. K., 480
Sayo, K.
—; Deki, S.; Hamada, K.; Hayashi, S.: Preparation of the Composite Consisting of Nano-Sized Gold Particles and Nylon-11 Oligomer, 1654
Schiraldi, D. A. See Gould, S. A. C., 2243
Seki, K. See Ono, S., 2529
Sen, K. See Bajaj, P., 567
Seto, F.
—; Kishida, A.; Muraoka, Y.; Akashi, M.: Surface Modification of Poly(Ethylene Terephthalate) Film by Coating with Poly(Ethylene Glycol)-Grafted Polystyrene, 1524
—; Tahara, K.; Kishida, A.; Muraoka, Y.; Akashi, M.: Novel Surface Modification of Cellulose Film by Heat-Set Finishing Method Using Poly(Ethylene Glycol)-Coated Polystyrene Nanospheres, 1516
Setua, D. K.
—; Pandey, K. N.; Saxena, A. K.; Mathur, G. N.: Characterization of Elastomer Blend and Compatibility, 480
Seves, A. See Beltrame, P. L., 1941
Shapayeva, N. V. See Mikhailov, Yu. M., 2353
Sharifi-Sanjani, N. See Abdouss, M., 3417
Sharma, H. S. S.
—; Faughey, G.; Lyons, G.: Comparison of Physical, Chemical, and Thermal

Characteristics of Water-, Dew-, and Enzyme-Retted Flax Fibers, 139
Shau, M.-D. See Wang, T.-S., 413
Shehata, A. B. See Darwish, N. A., 762
Shelver, S. R.
—; Shumane, M.; Gradwell, M. H. S.; McGill, W. J.: The Role of Dimethyldithiocarbamic Acid in Accelerated Sulfur Vulcanization, 1371
Shen, J. See Wu, S., 1992
Shen, Q.-D.
—; Ni, S.-L.; Xu, H.-S.; Yang, C.-Z.: Synthesis and Electrochemical Properties of Redox Active Polyurethanes with Ferrocene Units in Polyether Soft Segments, 2674
Shen, W. See Wang, Q., 2611
Shen, W.-C. See Zhang, Z.-Z., 797
Shen, Y. See Qi, C., 1140
Shi, Y. See Cao, S., 1452
Shibata, M.
—; Yosomiya, R.; Jiang, Z.; Yang, Z.; Wang, G.; Ma, R.; Wu, Z.: Crystallization and Melting Behavior of Poly(*p*-phenylene sulfide) in Blends with Poly(ether sulfone), 1686
Shieh, Y.-T.
—; Liu, C.-M.: Silane Grafting Reactions of LDPE, HDPE, and LLDPE, 3404
Shim, H. J. See Lee, M. S., 1836
Shim, J. K.
—; Lee, Y. B.; Lee, Y. M.: pH-Dependent Permeaetion Through Polysulfone Ultrafiltration Membranes Prepared by Ultraviolet Polymerization Technique, 75
—; See Lee, Y. B., 965
Shim, W. S.
—; Lee, D. S.: Electroactive and Temperature-Sensitive Hydrogel Composites, 311
Shimizu, T.
—; Higashiura, S.; Ohguchi, M.: Preparation of an Acrylic-Grafted Polyester and Its Aqueous Dispersion: Grafting Utilizing Alternating Copolymerization, 1395
Shin, J.
—; Yeh, K.-N.: Hydrolytic Degradation of Poly(1,4-butylene terephthalate-*co*-tetramethylene oxalate) Copolymer, 921
Shin, J.-H. See Mah, S., 2637
Shin, Y.
—; Yoo, D. I.; Min, K.: Antimicrobial Finishing of Polypropylene Nonwoven Fabric by Treatment with Chitosan Oligomer, 2911
Shiotani, A.
—; Kohda, M.: Preparation of Polyimides Derived from Biphenyltetracarboxylic Dianhydrides and Aromatic Diamines Bearing Alkylene Spacers, 2404
Shiotani, M. See Sakurai, H., 286, 1386
Shirataki, H. See Sweeney, J., 3331
Shirodkar, V. S. See Bodhane, S. P., 1347
Shukla, S. R.
—; Kulkarni, K. S.: Estimation and Characterization of Polyester Oligomers, 1987
Shulin, A. See Yufeng, Z., 670
Shulman, J. B. See Gould, S. A. C., 2243
Shumane, M. See Shelver, S. R., 1371
Shyr, T.-W. See Wang, H.-H., 3046
Shyu, S.-S. See Mi, F.-L., 1093, 1868
Siddaramaiah See Jeevananda, T., 3507
Siegmann, A. See Breuer, O., 1731
Simanke, A. G.
—; Galland, G. B.; Baumhardt Neto, R.; Quijada, R.; Mauler, R. S.: Influence of the Type and the Comonomer Contents on the Mechanical Behavior of Ethylene/α-Olefin Copolymers, 1194
Simenel, I. A. See Damshkaln, L. G., 1978
Singh, R. P. See Stelter, M., 2773
Sirisinha, C. See Chantaratcharoen, A., 2414
Smirnov, V. S. See Mikhailov, Yu. M., 2353
Soares, B. G. See Barcia, F. L., 1424
Sombatsompop, N.
—; Dynamic Mechanical Properties of SBR and EPDM Vulcanisates Filled with Cryogenically Pulverized Flexible Polyurethane Foam Particles, 1129
—; Wood, A. K.: Temperature Gradients in Molten Polymers During the Cooling Process, 3268
Song, M. See Pang, Y. X., 2868
Song, Y. See Andrady, A. L., 1773
Sonnenschein, M. F.
—; Micro- and Ultrafiltration Film Membranes from Poly(ether ether ketone) (PEEK), 1146
Sonoda, Y. See Akutsu, F., 1366
Spěváček, J. See Podešva, J., 3214
Sreekumar, T. V. See Bajaj, P., 567
Sreenivasan, K.
—; An Aqueous Process to Graft 2-Hydroxyl ethyl Methacrylate onto Polyvinyl Chloride Through Its Functional Group, 113
Stedile, F. C. See Haag, M. C., 1997
Steeman, P. A. M.
—; Palmen, J. H. M.: On Mooney and Mooney Stress Relaxation. II. A Nonlinear Viscoelastic Description: Experimental and Numerical Results, 1220
Stelter, M.
—; Wunderlich, T.; Rath, S. K.; Brenn, G.; Yarin, A. L.; Singh, R. P.; Durst, F.: Shear and Extensional Investigations in Solutions of Grafted/Ungrafted Amylopectin and Polyacrylamide, 2773
Stephan, M. See Kelnar, I., 1404
Stoll, K. See Epacher, E., 1596
Stretz, H. A.
—; Cassidy, P. E.; Paul, D. R.: Blends of Bisphenol A Polycarbonate and Rubber-Toughened Styrene–Maleic Anhydride Copolymers, 1508
Struik, L. C. E.
—; On Mooney Viscosity and Mooney Stress Relaxation. I, 1207

Su, Y.-S. See Yeh, J.-T., 2158
Sue, H.-J. See Wei, G.-X., 2539
Sugisawa, H. See Minagawa, M., 2820
Suh, K.-D. See Jun, J.-B., 465
Suhm, J. See Mäder, D., 838
Sun, B.-W. See Zhang, L.-M., 3088
Sun, H. See Yang, M., 2010
Sun, R. See Fang, J. M., 2301
Süzer, S.
—; Argun, A.; Vatansever, O.; Aral, O.: XPS and Water Contact Angle Measurements on Aged and Corona-Treated PP, 1846
Suzuki, F. See Nakane, K., 133
Suzuki, R. See Wang, C. L., 2522
Swain, S. K. See Sahoo, P. K., 2785
Sweeney, J.
—; Shirataki, H.; Unwin, A. P.; Ward, I. M.: Application of a Necking Criterion to PET Fibers in Tension, 3331

Tachibana, T. See Horiuchi, S., 1762
Tachikawa, K. See Okada, M., 3342
Tadros, R. M.
—; Noureddini, H.; Timm, D. C.: Biodegradation of Thermoplastic and Thermosetting Polyesters from Z-Protected Glutamic Acid, 3513
Taha, M. See Chalamet, Y., 1017
Tahara, K. See Seto, F., 1516
Tai, H. See Jiang, X., 1293
Tak, T. M. See Kim, I. C., 272, 2046, 2063
Takahashi, A. See Umemura, K., 1807
Takahashi, H. See Kojima, Y., 3254
Takenaga, M. See Obori, H., 264
Talanova, G. G.
—; Zhong, L.; Bartsch, R. A.: New Chelating Polymers for Heavy Metal Ion Sorption, 849
Tan, K. L. See Liu, Y. X., 816
Tanaka, T. See Yamaura, K., 1298
Tang, B.
—; Jin, L.-P.; Zheng, X.-J.; Yang, M.-S.: Synthesis and Photoluminescence of the Eu^{3+} Composite with Dibenzoylmethane and Oligoacrylic Acid, 2588
Tang, H. See Liu, R., 2631
Tang, J.
—; Hu, K.; Guo, D.; Liu, H.; Zheng, Z.; Guo, W.; Du, S.; Zhou, Y.; Wu, R.: Micromorphological Structure and Its Forming Mechanisms of Polyacrylonitrile-Based Copper Gradient Composite Film, 1927
—; See Yu, X., 1898
Tang, W.
—; Sanjeeva Murthy, N.; Mares, F.; McDonnell, M. E.; Curran, S. A.: Poly(ethylene terephthalate)–Poly(caprolactone) Block Copolymer: 1. Synthesis, Reactive Extrusion, and Fiber Morphology, 1858
Tang, X. See Yu, X., 1898
Tang, Y. See Yang, Z., 3053
Tanigami, T. See Yamaura, K., 1298
Taniguchi, A. See Wang, W., 306
Tavares, M. I. B. See De Souza, C. M. G., 2990
Taverdet, J.-L. See Bichara, A., 3492
Taylor, H. See Huang, L., 937
Te, C. S. See Poh, B. T., 2940
Teng, M.-Y.
—; Lee, K.-R.; Liaw, D.-J.; Lai, J.-Y.: Pervaporation Separation of Aqueous Alcohol Solution through the Membrane of *o*-Trimethylsilylphenylacetylene Initiated by a Tungsten Carbene Complex, 647
Teramoto, M. See Matsuyama, H., 159, 171
Terano, M. See Nitta, K.-H., 958
Testa, G. See Beltrame, P. L., 1941
Thakore, I. M.
—; Iyer, S.; Desai, A.; Lele, A.; Devi, S.: Morphology, Thermomechanical Properties, and Biodegradability of Low Density Polyethylene/Starch Blends, 2791
Thamizharasi, S.
—; Gnanasundaram, P.; Balasubramanian, S.: Copolymers of 4-Nitrophenyl Methacrylate with Styrene: Synthesis, Characterization, and Reactivity Ratios, 1186
Thibault, J.-F. See Chauvelon, G., 1937
Thibault, J. F. See Gourson, C., 3040
Thiebaud, S. See Aburto, J., 1440
Thiyagarajan, M. See Brar, A. S., 3016
Thomann, Y. See Mäder, D., 838
Thomas, S. See George, S. C., 3059
Tian, N. See Liu, X., 747
Timm, D. C. See Tadros, R. M., 3513
Tinçer, T. See Akinay, A. E., 866, 877
Tjong, S. C.
—; Jiang, W.: Mechanical Performance of Ternary *In Situ* Polycarbonate/Poly(acrylonitrile-butadiene-styrene)/Liquid Crystalline Polymer Composites, 2274
—; Meng, Y. Z.: Properties of Ternary *In Situ* Polycarbonate/Polybutylene Terephthalate/Liquid Crystalline Polymer Composites, 1827
Togashi, H. See Wang, C. L., 2522
Tokumitsu, H. See Ono, S., 2529
Tolvéth, J. See Epacher, E., 1596
Tomkinson, J. See Fang, J. M., 2301
Tomoi, M. See Iijima, T., 2931
Tonelli, A. See Huang, L., 937
Ton-That, T. M.
—; Jungnickel, B.-J. Water Diffusion into Transcrystalline Layers on Polypropylene: 3275
Tosh, B.
—; Saikia, C. N.; Dass, N. N.: Development of a Nonaqueous Solvent System for Poly(vinyl alcohol) and Its Characterization, 663
Tripathy, D. K. See Manna, A. K., 389
Tseng, F.-P.
—; Chang, F.-C.; Lin, S.-F.; Lin, J.-J.: Preparation and Epoxy Curing of p-Nonylphenol/Dicyclopentadiene Adducts, 2196
Tseng, S. M. See Chern, Y. C., 328
Tsubouchi, K. See Yoshikawa, M., 407
Tsuchiya, M.
—; Kojima, T.: Iridescence of 2-Hydroxyethyl Methacrylate/

Aromatic Allyl Ester Reaction Mixtures, 125
Tu, Y.-M. See Lee, W.-F., 1234
Tuminello, W. H. See Mertdogan, C. A., 2039
Tuncel, A.
—; A Diffusion-Reaction Model for α-Chymotrypsin Carrying Uniform Thermosensitive Gel Beads, 1025
Tverdokhlebova, I. I. See Mukbaniani, O. V., 583
Tzur, A. See Breuer, O., 1731

Uğur, Ş. See Pekcan, Ö., 948
Ullrich, A. See Walker, M., 67
Umemura, K.
—; Takahashi, A.; Kawai, S.: Durability of Isocyanate Resin Adhesives for Wood. II. Effect of the Addition of Several Polyols on the Thermal Properties, 1807
Unwin, A. P. See Sweeney, J., 3331
Ureña-Núñez, F. See Galvan-Sánchez, A., 995
Usanmaz, A. See Muhtaroğullari, I. Y., 2971
Usuki, A. See Hasegawa, N., 3359
Uzov, C. See Gjurova, K., 3324

Van Der Zee, M. See Vikman, M., 2594
van Soest, J. J. G.
—; Kortleve, P. M.: The Influence of Maltodextrins on the Structure and Properties of Compression-Molded Starch Plastic Sheets, 2207
Van Zyl, A. J.
—; Kerres, J. A.: Development of New Ionomer Blend Membranes, Their Characterization, and Their Application in the Perstractive Separation of Alkenes from Alkene–Alkane Mixtures. II. Electrical and Facilitated Transport Properties, 422
—; See Kerres, J. A., 428
Varga, J.
—; Mudra, I.; Ehrenstein, G. W.: Highly Active Thermally Stable β-Nucleating Agents for Isotactic Polypropylene, 2357
Vatansever, O. See Süzer, S., 1846
Vazquez, A.
—; Ilavský, M.; Dušek, K.: Effect of Etherification Reaction on Extraction and Photoelastic and Dynamic Mechanical Behavior of Diepoxide–Diamine Networks, 2877
Vedpathak, M. See Athawale, A. A., 1286
Venditto, V. See Reverchon, E., 2077
Verneuil, B. See Gourson, C., 3040
Vichi, F. M.
—; Galembreck, F.; Halstead, T. K.; Williams, M. A. K.: Relationship Between Pore Structure and ^{1}H-NMR Relaxation Times in TiO_2/Poly(dimethylsiloxane) and $CaCO_3$/Poly(dimethylsiloxane) Composite Powders, 2660
Vidhya, V.
—; Jothikumar, N.; Khanna, P.: Effect of Latex Modification of Portland Cement Matrices on Properties of Heavy Metal Immobilized Products, 2482
Vigier, G. See Labour, T., 195
Vijayan, T. M. See Nair, C. P. R., 2737
Vikman, M.
—; Hulleman, S. H. D.; Van Der Zee, M.; Myllärinen, P.; Feil, H.: Morphology and Enzymatic Degradation of Thermoplastic Starch–Polycaprolactone Blends, 2594
Villani, V. See Pucciariello, R., 1607
Villano, P. See Musto, P., 532
Villanueva, M. See Núñez, L., 353
Vlček, P. See Lokaj, J., 2378
Vo, C. D.
—; Burford, R. P.: Latex Interpenetrating Polymer Networks Based on High Styrene Resin, 622
—; See Burford, R. P., 629
Vrňata, M. See Myslík, V., 1614
Vysloužil, F. See Myslík, V., 1614

Walker, M.
—; Baumgärtner, K.-M.; Kaiser, M.; Kerres, J.; Ullrich, A.; Räuchle, E.: Proton-Conducting Polymers with Reduced Methanol Permeation, 67
Wan, D. See Lu, Z., 2072
Wan, M. See Fan, J., 2605
Wang, C. See Zhang, Z., 3145
Wang, C. L.
—; Kobayashi, Y.; Togashi, H.; Kato, K.; Hirotsu, T.; Hirata, K.; Suzuki, R.; Ohdaira, T.; Mikado, T.: Plasma-Polymerized Hexamethyldisiloxane Films Characterized by Variable-Energy Positron Lifetime Spectroscopy, 2522
Wang, C. S.
—; Lin, C. H.: Properties and Curing Kinetic of Diglycidyl Ether of Bisphenol A Cured with a Phosphorus-Containing Diamine, 1635
Wang, C.-S. See Ho, T.-H., 1905
Wang, F.-Y.
—; Ma, C.-C. M.; Wu, H.-D.: Hydrogen Bonding in Polyamide Toughened Novolac Type Phenolic Resin, 2283
Wang, G. See Shibata, M., 1686
Wang, H.
—; Chen, W.: The Effect of Grafted TMPM on the Radiation Resistance of Polypropylene, 2150
Wang, H.-H.
—; Shyr, T.-W.; Hu, M.-S.: The Elastic Property of Polyvinyl Alcohol Gel with Boric Acid as a Crosslinking Agent, 3046
—; Wu, S.-P.: Synthesis of Aromatic Poly(urea-imide) with Heterocyclic Side-Chain Structure, 1719
Wang, J. See Yu, X., 1898
Wang, Q.
—; Xue, Q.; Liu, W.; Shen, W.: Tribological Properties of Micron Silicon Carbide Filled Poly(ether ether ketone), 2611
—; See Hua, J., 2457
Wang, R.
—; Chen, J.; Cao, W.: Synthesis and Characterization of *N*-Methyl-2-nitro-diphenylamine-4-diazonium Salt and Its Diazoresin, 189
Wang, T. See Qi, C., 1140

Wang, T.-S.
—; Parng, J.-K.; Shau, M.-D.: The Synthesis and Properties of New Epoxy Resin Containing Phosphorus and Nitrogen Groups for Flame Retardancy, 413
Wang, T.-Z.
—; Chen, K.-N.: Introduction of Covalently Bonded Phosphorus into Aqueous-Based Polyurethane System via Postcuring Reaction, 2499
Wang, W.
—; Taniguchi, A.; Fukuhara, M.; Okada, T.: Two-Step Photodegradation Process of Poly(ethylene terephthalate), 306
Wang, Y.
—; Feng, L.; Pan, C.: Preparation and Characterization of P(St-*co*-4VP) Particles Produced by Using Emulsifier-Free Emulsion Polymerization, 1502
—; See Yang, Z., 3053
Wang, Z. See Yin, S., 3535
Ward, I. M. See Sweeney, J., 3331
Waterhouse, J. See Fan, X.-D., 1563
Wei, G.-X.
—; Sue, H.-J.: Fracture Mechanisms in Pre-Formed Polyphenylene Oxide Particle-Modified Bismaleimide Resins, 2539
Wei, Y. See Dong, S., 516
Whang, W. T. See Chang, C. J., 1321
Whang, W.-T. See Jwo, S.-L., 2832
Whinnery, L. L. See Goods, S. H., 2724
Whittaker, A. K. See Forysth, A., 2917
Williams, G. D. See Hourston, D. J., 556
Williams, M. A. K. See Vichi, F. M., 2660
Wirsén, A. See Qu, X., 3186, 3193
Wolf, P. See Zhong, Y., 345
Wolfrum, J.
—; Ehrenstein, G. W.: Interdependence Between the Curing, Structure, and the Mechanical Properties of Phenolic Resins, 3173
Won, C.-Y.
—; Bentley, M. D.; Harris, J. M.: Synthesis of Unsaturated Poly(ether amide)s Based on Amine-Terminated Poly(ethylene glycol), 913
Wong, C. P.
—; Bollampally, R. S.: Thermal Conductivity, Elastic Modulus, and Coefficient of Thermal Expansion of Polymer Composites Filled with Ceramic Particles for Electronic Packaging, 3396
—; See Lu, D., 399
Wong, T.-B. See Mi, F.-L., 1093
Woo, T. See Rana, D., 1169
Wood, A. K. See Sombatsompop, N., 3268
Wu, C.-T. See He, Y.-B., 1278
Wu, H.-D. See Chiou, K.-C., 23; Wang, F.-Y., 2283
Wu, J. See Qi, C., 1140
Wu, R. See Tang, J., 1927
Wu, S.
—; Zhu, Y.; Li, F.; Shen, J.: Humidity Sensing Properties of the Vinylpyridine–Butyl acrylate–Styrene Copolymers, 1992
Wu, S.-C. See Chiou, K.-C., 23
Wu, S.-P. See Wang, H.-H., 1719
Wu, T.-R. See Denq, B.-L., 229
Wu, Y. See Qi, C., 1140
Wu, Z. See Shibata, M., 1686
Wunderlich, T. See Stelter, M., 2773

Xia, P. See Jiang, X., 1293, 1417
Xiaoxiang, Z. See Yonghong, S., 2826
Xie, S. See Fan, J., 2605
Xie, Z. See Yang, L., 91
Xu, H.-S. See Shen, Q.-D., 2674
Xu, X. See Yin, S., 3535
Xu, Z.-L.
—; Chung, T.-S.; Huang, Y.: Effect of Polyvinylpyrrolidone Molecular Weights on Morphology, Oil/Water Separation, Mechanical and Thermal Properties of Polyetherimide/Polyvinyl-pyrrolidone Hollow Fiber Membranes, 2220
Xue, Q. See Wang, Q., 2611
Xue, Q.-J. See Zhang, Z.-Z., 797

Yahiro, H. See Sakurai, H., 286, 1386
Yamaguchi, M.
—; Abe, S.: LLDPE/LDPE Blends. Part 1. Rheological, Thermal, and Mechanical Properties, 3153
—; Abe, S.: LLDPE/LDPE Blends. Part 2. Viscoelastic Properties in Solid State, 3160
Yamahiro, M. See Nitta, K.-H., 958
Yamamoto, T. See Goto, S.-I., 3548
Yamano, H. See Ogawa, I., 1693, 1701
Yamashita, S. See Goto, S.-I., 3548
Yamashita, T. See Nakane, K., 133; Okubo, M., 278
Yamaura, K.
—; Fukuda, M.; Tanaka, T.; Tanigami, T.: Effect of Addition of Saccharides on Gelation of Aqueous Poly(vinyl alcohol) Solutions, 1298
Yan, D. See Jiang, X., 1293, 1417
Yan, H.
—; Zhu, X.: Liquid Crystallization of Poly(styrene-*co*-maleic anhydride) Induced by Intermolecular Hydrogen Bonds, 97
Yang, C.-Z. See Shen, Q.-D., 2674
Yang, L.
—; Xie, Z.; Li, Z.: Studies on Acrylate Copolymer Soap-Free Waterborne Coatings Crosslinked by Metal Ions, 91
Yang, M.
—; Li, Y.; Zhan, X.; Sun, H.; Ling, M.: A Novel Resistive-Type Humidity Sensor Based on Poly(*p*-diethynylbenzene), 2010
Yang, M.-S. See Tang, B., 2588
Yang, X. See Yin, S., 3535
Yang, Y. See Zhong, W., 2546
Yang, Z.
—; Wang, Y.; Tang, Y.: Preparation and Adsorption Properties of Metal Ions of Crosslinked Chitosan Azacrown Ethers, 3053
—; See Shibata, M., 1686
Yarin, A. L. See Stelter, M., 2773
Yavuz, H. See Denizli, A., 2803
Ye, L.
—; Huang, R.: Study of P(AM-NVP-DMDA) Hodrophobically Associating Water-Soluble Terpolymer, 211

Yeh, C.-H. See Don, T.-M., 2510
Yeh, J.-T.
—; Jou, W.-S.; Su, Y.-S.: Permeation Barrier Properties of Polyethylene/Modified Blends of Polyamide and Polyvinylalcohol Containers Against Methanol/Gasoline Fuels, 2158
Yeh, K.-N. See Shin, J., 921
Yeh, P.-L. See Lee, W.-F., 2170
Yi, X.-S. See Liu, Z., 2667
Yin, D.-Y. See Zhang, L.-M., 1662
Yin, S.
—; Wang, Z.; Yang, X.; Huang, W.; Zhang, F.; Xu, X.: Synthesis, Photo-, and Electroluminescent Properties of the Soluble Poly (2,5-diphenylene-1,3,4-oxadiazole)-4,4′-vinylene}, 3535
Yonghong, S.
—; Linxian, F.; Xiaoxiang, Z.: New-Type Sulphonated Polymer Surfaces for Improving Blood Compatibility, 2826
Yoo, D. I. See Shin, Y., 2911
Yoo, H. O. See Kim, S. H., 2448
Yoo, Y.
—; Kim, D.-C.; Kim, T.-Y.: Preparation and Characterization of Enalapril Maleate–Loaded Nanoparticles Using Amphiphilic Diblock Copolymers, 2856
Yoon, K. H.
—; Cho, H. N.; Park, O. O.: Effect of Dialcohols on Properties of Poly(ethylene 2,6-naphthalate) Copolymers, 2900
Yoshii, F. See Darwis, D., 1815; Minagawa, M., 2820
Yoshikawa, M.
—; Tsubouchi, K.; Guiver, M. D.; Robertson, G. P.: Modified Polysulfone Membranes. III. Pervaporation Separation of Benzene–Cyclohexane Mixtures through Carboxylated Polysulfone Membranes, 407
Yoshioka, C. See Hoshi, M., 983
Yosomiya, R. See Shibata, M., 1686
Yu, X.
—; Wang, J.; Gao, G.; Tang, J.; Li, F.; Zhang, J.; Tang, X.: The Effect of Composition and the Introduction of Positive Charge Group (—N(Ch)) on the Multiphase Morphology of Polyurethane/polyacrylates Interpenetrating Polymer Networks, 1898
—; See Fan, Q., 2552
Yu, Z.-Z. See Ou, Y.-C., 2397
Yufeng, Z.
—; Changfa, X.; Guangxia, J.; Shulin, A.: Study on Gel-Spinning Process of Ultra-High Molecular Weight Polyethylene, 670

Zagortcheva, M. See Gjurova, K., 3324
Zaikov, G. E. See Aneli, J. N., 601; Iordanskii, A. L., 595
Zang, Y. See Zhong, W., 2546
Zeng, H. See Mai, K., 3033
Zeng, H. M. See Zhang, M. Q., 3376
Zhan, X. See Yang, M., 2010
Zhang, A.
—; Zhang, G.; Zhang, H.: Tetrahydrofuran Polymerization Initiated by Heteropolyacid in the Presence of Ethylene Oxide: Reaction Behavior of Water and Glycol, 1821
Zhang, F. See Yin, S., 3535
Zhang, G. See Zhang, A., 1821; Zhang, Z., 3145
Zhang, H. See Zhang, A., 1821
Zhang, J. See Yu, X., 1898
Zhang, L.
—; Goh, S. H.; Lee, S. Y.: Miscible Blends Containing Bacterial Poly(3-hydroxyvalerate) and Poly(*p*-vinyl phenol), 383
—; Liu, L.; Chen, Y.: Photoinitiated Radical Copolymerization of Vinyl Ether and Maleate System, 3541
Zhang, L.-M.
—; Sun, B.-W.: Inhibition of Water-Soluble Cationic Cellulosic Polymers to Clay Hydration, 3088
—; Yin, D.-Y.: Novel Modified Lignosulfonate as Drilling Mud Thinner Without Environmental Concerns, 1662
Zhang, M. Q.
—; Ning, K. J.; Li, T. Q.; Zeng, H. M.: Solvent-Induced Crystallization in Polyetheretherketone Exposed to Methylene Chloride—During Solvent Sorption or During Solvent Desorption? 3376
Zhang, S. See Mai, K., 3033
Zhang, X. C.
—; Cameron, R. E.: The Morphology of Irradiated Isotactic Polypropylene, 2234
Zhang, Z.
—; Lin, S.: Oxygen/Nitrogen Transport in Ionomer Composite Membranes Containing a Cobalt Schiff Base Complex, 1071
—; Zhang, G.; Wang, C.; Liu, Z.; Chen, X.: Chlorohydrin Water-Swellable Rubber Compatibilized by an Amphiphilic Graft Copolymer. II. Effects of PVA-*g*-PBA and CPA on Water-Swelling Behaviors, 3145
—; See Dong, S., 516
Zhang, Z.-Z.
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Behavior of PTFE Composites Filled with Rare Earth Compounds Under Oil-Lubricated Conditions, 797
Zhao, C.
—; Pizzi, A.; Garnier, S.: Fast Advancement and Hardening Acceleration of Low-Condensation Alkaline PF Resins by Esters and Copolymerized Urea, 359
Zhao, Y. See Chen, J., 119
Zheng, H. See Guo, Q., 322
Zheng, M.
—; Bai, F.; Zhu, D.: New Light Emitting Materials: Alternating Copolymers with Hole Transport and Emitting Chromophores, 3351
Zheng, X.-J. See Tang, B., 2588
Zheng, Z. See Tang, J., 1927
Zhong, L. See Talanova, G. G., 849
Zhong, W.
—; Ge, J.; Gu, Z.; Li, W.; Chen, X.; Zang, Y.; Yang, Y.: Study on Biodegradable Polymer Materials Based on Poly(lactic acid) (I) Chain Extending of Low Molecular Weight Poly(lactic acid) with

Methylenediphenyl Diisocyanate, 2546
Zhong, Y.
—; Wolf, P.: Effects of Hydrophobic Unit and Its Distribution on Solution Properties of Vinyl Pyrrolidone and Vinyl Acetate Copolymer, 345
Zhongming, L.
—; Ming, X.; Al, L.; Meidong, Z.; Rui, H.: A Diallyl Bisphenol A Ether and Diallyl Phenyl Ether Modified Bismaleimide Resin System for Resin Transfer Molding, 1649
Zhou, Y. See Tang, J., 1927
Zhu, D. See Fan, J., 2605; Zheng, M., 3351
Zhu, F.
—; Fang, Y.; Lin, S.: Synthesis and Characterization of Elastoplastic Poly(styrene-*co*-ethylene) Using Novel Mono(η^5-cyclopentadienyl)-titanium and Modified Methylaluminoxane Catalysts, 1851
Zhu, S. See Gu, L., 1412
Zhu, X. See Jiang, X., 1417; Yan, H., 97
Zhu, Y. See Wu, S., 1992
Zimmer, J. G. See Chisholm, B. J., 889

Journal of Applied Polymer Science

Subject Index—Volume 74

ABA triblock copolymer, 2072
ABS, 2274
ABS/PC blend, 1361
Acetate, 448
Acetyl acetonates, 1614
Acid dyes, 2386
Acid-base blend membranes, 67
Acrylate copolymer, 91
Acrylate rubber, 1490
Acrylic rubber particles, 2955
Acrylonitrile, 2645
Acrylonitrile copolymer, 1271
Acrylonitrile–butadiene–styrene (ABS) materials, 1508
Acrylonitrile–carboxylic acid copolymers, 567
Acrylonitrile–styrene–methyl methacrylate terpolymer, 3026
Activation, 1937
Activation energy, 201, 663, 2886, 3404
Adhesion, 762, 2955
Adhesion strength, 816
Adhesive energy, 1009
Adhesive failure peak, 264
Adhesives, 2321
Adsorption, 1037, 2631, 3053
Aerobic mineralization, 1773
AFM, 838, 2439
Ageing and monofilament, 921
Aging, 762, 1846
Albumin separation, 2803
Aliphatic polyurethane elastomers, 2979
Alkane–acetone mixtures, 3059
Alkene, 422, 428
Alkyl cyanoacrylate, 336

Alternating copolymerization, 1395
Al/Ti ratio, 3412
Aminated PVC, 1178
3-Amino-9-ethyl carbazole, 1321
Amino siloxane, 2552
Amino-protected glutamic acid, 3513
Amphiphilic graft copolymer, 3145
Amylopectin, 2773
Amylose esters, 1440
Anionic, 2072
Anionic polymerization, 336
Antibacterial activity, 937
Antibiotic, biodegradable/bioabsorbable polymers, 937
Antimicrobial activity, 2258, 2911
Antioxidant, 2940
Antiozonants, 3130
Antistatic materials, 3507
Antiwear additives, 831
Aqueous dispersion, 1395
Aqueous solution terpolymerization, 211
Aqueous-based PU, 2499
Aralkyl novolac epoxy resin, 1905
Aramid, 2414
Aromatic compounds, 1037
Aromatic polyethersulfone, 1
Aromatic radical anion, 286
Arylidenecycloalkanone, 2255
Aspergillus niger, 1432
Asphalt, 1078
As-spun fibers, 1987
Asymmetric hollow fiber membrane, 2220
Atomic force microscopy, 480, 1242, 2243
Azacrown ether, 3053

BADGE $n = 0$, 2997
Ball-milling procedure, 3412
Barrier layers, 67
Batteries, 145
Benzene–cyclohexane, 407
Benzoyl peroxide, 1547
Binary rubber-based vulcanizates, 3130
Binary systems, 3324
Bioadhesive, 336
Biodegradability, 1440
Biodegradable polymer, 3342
Biodegradation, 2594, 2791, 3040, 3513
Biomaterial, 336
Biomimetic, 2947
Bioplastic, 2207
Biphenyl derivative, 690
2,3,3′,4′-biphenyltetracarboxylic dianhydride, 2404
3,3′,4,4′-Biphenyltetracarboxylic dianhydride, 2404
α,ω-bis(3-aminophenoxy)alkanes, 2404
α,ω-bis(4-aminophenoxy) alkanes, 2404
2-Bisbenzothiazole–2,2′-disulfide, 1264
2-Bisbenzothiazole-2,2′-disulfide, 2143
Bismaleimide resin, 1649
Bismaleimide–triazine resins, 2737
Bisphenol A, 2266
Bisphenol A bismaleimide, 3365
Bisphenol A dicyanate, 1675, 2737, 3365
Bisphenol bismaleimide, 2737
Bisphenol-A polycarbonate, 639
Bis(*p*-tolyl)disulfide, 3203
Blend, 838, 1054
Blend fiber, 2258
Blend miscibility, 639
Blend of sulfonated and aminated PSU, 422, 428
Blend of sulfonated and unmodified PSU, 422, 428
Blending, 510
Blends, 322, 439, 465, 831, 1250, 1264, 1452, 1459, 1490, 1508, 1539, 1797, 1941, 2143, 2423, 2571, 2576, 2756, 2791, 3033, 3165, 3455
Block copolymer, 2378, 2856
Blood compatibility, 2826
Blood compatible, 2947
Boric acid, 3046
BR, 3305
Branched polymer, 965
Branched polymers, 728
Branching, 2432
Bromination, 1
B-T resins, 3365
Bulk polymerization, 1577
Butyl acrylate, 3094
Butyl rubber, 3548
Butyrate, 448

^{13}C nuclear magnetic resonance spectroscopy, 3214
Calcium carbonate, 1459, 3445
ϵ-Caprolactone, 1858
Carbazole chromophore, 2764

Carbon black, 1890
Carbon electrodes, 1003
Carbon fiber, 1424
Carbon films, 1745
Carbon nanotubes, 2605
Carbon-13 NMR, 3026
Carbonization, 1745
Carboxylic acids, 907
Cationic cellulosic polymers, 3088
Cationic ring-opening polymerization, 1821
Cell immobilization, 3469
Cellulose, 201, 907, 1465, 1516, 1531, 1623, 1937, 2764, 3040, 3501
Cellulose acetate, 1355
Cellulose acetate butyrate, 448
Cellulose acetate/butyrate, 1355
Cellulose, acylation of, 1355
Cellulose butyrate, 1355
Cellulose derivative, 1278
Cellulose derivatives, 2764
Cellulose propionate, 1355
Ceric salt initiated grafting, 2462
Chain entanglement, 1009
Chain extender, 2546
Char yield, 413
Characterization, 2820
Characterization and mechanical properties, 2102
Charge-transfer complex, 3351
Charge-transfer polymerization, 2072
Chelate complex, 2785
Chelating polymers, 849
Chelation, 290
Chemical gel, 3046
Chemical initiation, 1234
Chemical sensors, 1614
Chitosan, 1093, 1452, 2571, 3053, 3186, 3193
Chitosan oligomer, 2911
Chitosan–polyphosphoric acid gel beads, 1868
Chitosan–tripolyphosphate, 1868
Chitosan-*g*-PVA copolymer matrix, 458
Chlorinated polyethylene, 699
Chlorofluorinated polyimides, 107
Chlorohydrin rubber, 3145
Chymotrypsin, 1025
Cibacron Blue F3GA, 2803
Clathrate, 2077
Clay-hydration inhibition, 3088
^{13}Cnmr spectroscopy, 3425
^{60}Co γ-ray resistance, 3259
Coating, 1341, 1524
Cobalt Schiff base complex, 1071
Cobaltous chloride, 1745
Coefficient of thermal expansion, 3396
Cold drawing, 2335
Colloidal stability, 1780
Color difference, 1432
Colorant, 1762
Colorants extraction, 1701
Commingled blend, 1531
Compatibility, 1054, 1686, 2102
Compatibilization, 465, 480, 1941, 3145
Compatibilizer, 23, 2274
Compatibilizing efficiency, 2868
Compensation, 2716
Complex initiation, 2785
Complex viscosity, 2900
Component fiber, 2083
Composite, 133, 900, 1654, 1927, 2529, 3254
Composite films, 3522
Composite materials, 1705, 3507
Composites, 2397
Compounding, 3305
Compressive strength, 2482
Computation, 2255
Concentration, 2940
Concept of traps, 1705
Condensation, 1017
Conducting polymers, 1792
Conducting polypyrrole, 2605, 3473
Conductive fabric, 2094
Conductivity, 1286
Conformation, 290
Conformational tube model, 2747
Conjugated polymers, 2369
Contact angle, 219
Contact angles, 2439
Continuous drawing, 1836
Controlled autopolymerization, 2378
Controlled release, 1093
Cooling process, 3268
Coordinate bond, 2386
Coordination adsorption, 1278
Copolyester, 3342
Copolyesters, 2694
Copolymer, 2900
Copolymer of styrene and ethylene, 1851
Copolymerization, 1293, 1417, 2924, 3541
Copolymers, 2625, 2645
Copolymers of nonyl acrylate with acrylic acid, 2353
Copoly(urea-imide), 1719
Copper, 1478, 1927
Copper(II) bromide, 3324
Copy toner, 1563
Core-shell, 3299
Core/shell acrylic particles, 2955
Core-shell impact modifiers, 2470
Core-shell structure, 2397
Corona-treated-PP, 1846
Cosolvency, 2039
Cotton desizing, 1693
Covulcanization, 1250, 1264, 2143
Crosslinkable electrooptic polymers, 974
Crosslinked chitosan, 3053
Crosslinked polyacrylate, 3145
Crosslinking, 119, 907, 1881, 3069
Crosslinking agent, 983
Crosslinking degree, 91
Crumb rubber-filled elastomer, 3137
Crystal structure, 663
Crystalline structure, 2386
Crystallinity, 663, 1194, 3165
Crystallinity index, 995
Crystallization, 171, 239, 1380, 2357, 2386, 3153, 3522
Crystallization behavior, 1686, 3033
Crystallization kinetics, 322
Crystallization poly(vinylidene fluoride), 159
Crystallization temperature, 3268
CSA, 471
Cu^{2+}, 1278
Cure, 2703, 2940
Cure kinetics, 772, 2133, 3365
Curing behavior, 2266
Curing history, 3287
Curing kinetics, 229, 532, 1044, 1635
Curing rate, 2756
Cyanate ester, 33
Cyanate ester resin, 2931
Cyanate–epoxy blend, 1675
Cyanatophenyl maleimide, 2737
Cyanatophenylmaleimide, 3365
Cyclic voltametry, 1003
Cyclic voltammetry, 2674, 3009
Cyclic voltammogram, 311
Cyclic(arylene disulfide), 3069
Cyclolinear copolymers, 583

DBDPO, 2906
Deaerated water, 1693, 1701
Decrease of pollution, 3492
Degradation, 201
Degree of contraction, 2124
Degree of neutralization, 119
Degree of polymerization, 1937
DEHP, 3492

Deinkable toner, 1563
Dental use, 2971
Deuteration, 1386
Dew-, water-, and enzyme-retted fiber, 139
Diallyl bisphenol A ether, 1649
Diallyl phenyl ether, 1649
Diamine, 272
Dianhydrides, 2063
Diazoresin, 189
2,6-Dibenzylidenecyclohexanone, 2255
2,5-Dibenzylidenecyclopentanone, 2255
Diblock copolymer, 958
Dicarboxylic fatty acid, 1017
Dicyclopentadiene, 2196
Die, 676
Diethyl-2,3-dicyano-2,3-di(dimethoxyphenyl) succinate, 1140
Differential scanning calorimetry (DSC), 1440, 1563, 1577, 2004
Diffusion, 353, 1108, 2997
Diffusion coefficient, 3275, 3469
Diffusion control, 1044
Diffusion measurement, 3275
Difunctional azo-dye chromophore, 974
Diglycidyl ether of bisphenol, 2353
Diimide, 3203
Dilatation band, 2539
Dimethacrylate, 2716
Dimethyldithiocarbamic acid, 1371
Dioxazoline, 1017
1,1-Diphenyl-2-picrylhydrazyl, 75
Discoloration, 1596
Dispersed orange 3, 1321
Dispersion, 1654
Display device, 3485
Dissolution, 948
Dissolution methods, 1987
Distribution coefficient, 3469
Divinyl ester resins, 1044
D,L-Lactic acid, 3186, 3193
DMA, 353
DMAAPS, 2170
Doping, 1792
Dose-independent diffusion coefficient, 1108
DPC, 3541
Drawing, 670
Drilling mud, 1662
Dry-impact blending, 1762
Drying, 670
Dry/wet, 1334
DSC, 239, 353, 1201, 2997
DSC analysis, 3507
Dual-function curing, 2499
Dye-affinity sorbent, 2803
Dynamic curing, 2756
Dynamic cyclic extension, 1890
Dynamic mechanical, 2083
Dynamic mechanical analysis, 523, 1807, 2971
Dynamic mechanical properties, 838, 1129
Dynamic mechanical thermal analysis, 448
Dynamic modulus, 1298, 1815
Dynamic swelling method, 278
Dynamic vulcanization, 2886
Dynamical-mechanical properties, 1731

Effectiveness factor, 1025
Elastic modulus, 3396
Elasticity, 1207, 1220
Elastomer blend, 480
Elastomer-modified adhesives, 2321
Elastomers, 3137, 3548
Electric conductivity, 601
Electric stimulus, 1752
Electrically conductive adhesives, 399
Electrochemical, 1927
Electrochemical behaviors, 2674
Electrochemical degradation, 3009
Electrochemical process, 3473
Electrochemical response, 2674
Electrochemical synthesis, 3009
Electrochemical treatment, 15
Electrochemistry, 1003
Electrodeposition, 1078
Electron beam irradiation, 1571
Electronic packaging, 3396
Electron-transporting layer, 3535
Elution, 2631
Emulsification, 3225
Emulsifier-free emulsion, 2785
Emulsifier-free emulsion polymerization, 1502
Emulsion, 3299
Emulsion copolymerization, 179
Emulsion polymerization, 3225
Emulsions, 1078
Enalapril maleate, 2856
Engineering plastics, 510
Environmental acceptability, 1662, 3088
Enzymatic biodegradation, 2312
Enzymatic degradation, 3342
Enzymatic hydrolysis, 2594
Enzyme immobilization, 1025
Enzymic hydrolyzed chitosan, 1868
EPDM, 1220, 1997
EPDM-*g*-*N*-isopropylacrylamide (ENIPAM), 3259
EPDM-*g*-*N*-phenylacrylamide (ENPAM), 3259
Epoxide networks, 2877
Epoxidized natural rubber, 2886
Epoxidized natural rubber (ENR), 389
Epoxy, 1635, 2274, 2510, 3513
Epoxy curing, 2196
Epoxy resin, 229, 690, 772, 1424, 2432, 2955, 2997
Epoxy resins, 532, 2917
EQCM, 311
Equilibrium dialysis, 2290
Escherichia coli, 937
ESR, 286
Essential work of fracture, 781
Esterification, 907, 1937, 3040, 3501
Esterification of hemicelluloses, 2301
Esters, 448
Ethene–1-hexene copolymers, 439
Ethyl cellulose, 2056
Ethyl methacrylate, 2924
Ethylene oxide, 1821
Ethylene polymerization, 3412
Ethylene propylene diene rubber, 1890
Ethylene vinyl acetate copolymers, 2625
Ethylene 1-octene copolymers, 1169
Ethylene–octene copolymer, 3445
Ethylene–propylene copolymer, 958, 3165
Ethylene–propylene elastomer, 465
Ethylene/α-olefin copolymers, 1194
Ethylene/propylene/diene terpolymer (EPDM), 2616
Ethylene-propylene-diene terpolymer (EPDM), 3259
Ethylene-1-butene copolymers, 838
Eu^{3+}-DBM-OAA composite, 2588
EVA-EPDM blends, 2756
EVA/PVAc blends, 2990
EVOH, 1201
External stress, 1584
Extraction, 670
Extrusion, 541, 676, 2207

Facilitated transport, 422
Facilitated transport, 428
Fatty acid, 3040
Ferrocene, 2674
Fiber drawing, 2335

Fiber microstructure, 2335
Fiber properties, 2335
Fiber spinning, 728
Fibrous solvent with amino-carboxyl-tetrazine groups, 2631
Filler, 2611
Filler filled, 2397
Fillers, 1490
Film properties, 1596
Films, 1937
Finite element, 676
Fire retardant, 1317
Flame retardancy, 413, 1635
Flame retardating properties, 2906
Flammability, 1361
Flax, 139
Flexible polyurethane foams, 1129
Flooring, 1156
Flory–Huggins theory, 2113
Flow mechanisms, 1731
Fluorescence, 948
Fluorescent side-group copolymers, 151
Fluorocarbon, 2439
Fluorosilicone, 2029
^{19}F-NMR, 286
Foam, 2724
Folding endurance, 907
Food simulants, 3492
β-Form, 195
Fouling, 2046
Fourier transform infrared spectroscopy (FTIR), 1440
Fourier transform IR, 2703
Fracture, 2470
Fracture behavior, 3137
Fracture mechanism, 2539
Fracture modes, 2681
Fracture toughness, 690, 2510, 2931, 2955, 3455
Free radical copolymerization, 1516
Free radical polymerization, 2561
Free volume, 3305
Free volume theory, 2353
Free-radical crosslinking copolymerization, 2181
Free-volume theory, 1705
Freeze–thaw-induced precipitation, 1978
Freon gas, 3548
Friction, 747
Friction and wear, 797
Frictional surfaces, 797
FT ATR-IR, 113
FTIR, 2616
FTIR spectra, 1614
FTIR spectroscopy, 532, 1571
FT-NIR spectroscopy, 532
Fumaryl chloride, 913
Functional group reactivity, 3455
Functionalization, 3299
Furan derivative, 3342
Fusion time, 699
Fusion torque, 699
Fuzzy, 541

Gain scheduling, 541
Gamma irradiation, 2234
Gamma radiation, 900
Gamma-irradiation, 1815
Gas barrier elastomer, 3548
Gas separation, 965
Gel and glass effects, 2561
Gel permeation chromatography, 2432
Gel spinning, 670
Gelatin, 1547
Gelation, 1298, 2488
General polymer, 97
Glass fibers, 239
Glass transition, 838, 2716
Glass transition temperature, 3173
Glass-reinforced polyester (GRP) laminates, 379
Glassy polymers, 1705
Glucose derivative, 3342
Glycidyl azide polymer (GAP), 2848
Glycidyl methacrylate, 2462, 2616
Glycidyl methacrylate copolymer, 974
Glycidylmethacrylate-divinyl-benzene, 722
Graft, 2963
Graft copolymer, 1524, 1950, 3193
Graft copolymerization, 806, 816, 1234, 1478
Graft efficiency, 3259
Graft polymerization, 75, 1432, 3259
Grafted branches, 1950
Grafted polymer, 1395
Grafting, 247, 1547, 2773
Grafting reactions, 3404
Grafting yield determination, 2616
Gravimetry, 353
Guest desorption, 2077
Guest-host liquid crystal displays, 151

^{1}H nuclear magnetic resonance (^{1}H-NMR), 1440
^{1}H nuclear magnetic resonance spectroscopy, 3214
Hard block, 1054
Hardening acceleration, 359
Healing, 1009
Heat and oil resistance, 1490
Heat capacity increment, 2868
Heat stability, 2488
Heat-induced phase separation, 125
Heavy metal, 3501
Heavy metal ions, 849
β-Hedrite, 2357
HEMA, 113
Hemicellulose solvent, 2301
Heparin, 655
Heterocyclic containing, 1719
Heterofunctional polycondensation, 583
Heterogeneous nucleation, 3033
Heterogeneous polymer blends, 2868
Heteropolyacid, 1821
Hexamethyldisiloxane, 2522
Hexanoate, 448
HFb, 595
High pressure, 3254
High styrene resin, 622
High-density polyethylene, 1459, 1596
High-impact polystyrene, 857, 1950
High-performance composite, 2539
High-solids emulsion polymerization, 1780
Higuchi's equation, 458
Hindered amine light stabilizer, 877
Hindered amine light stabilizer (HALS), 2150
HIPS, 1731
^{1}H-NMR, 1386, 2616
Hole-transporting layer, 3535
Hollow fiber, 1836
Holographic recording, 1321
Homogeneous coagulative nucleation, 1502
Homogeneous solution, 2301
Hornification, 1465
HSA, 595
Humidity sensors, 1992
Humidity-sensitive property, 3121
Humi-sensing characteristics, 2010
Hybrid material, 1341
Hydrogel, 913, 1752, 3186, 3193
Hydrogels, 2170, 2457
Hydrogen bonds, 97
Hydrogenation, 3203
Hydrolytic degradation, 921, 2312
Hydrophobic effect, 211
Hydrophobic unit, 345
Hydrophobically associating water-soluble terpolymers, 211

Hydroxyl end groups, 3214
Hydroxyl-telechelic polybutadienes, 3203
Hygrothermal aging, 2470

Imidization, 272
Immobilization, 655
Impact, 838
Impact fracture parameters, 2681
Impact modifier, 23
Impact strength, 510
Impedance spectroscopy, 1003
In situ aqueous solution polymerization, 119
In situ complex and pyridine, 83
In situ composite, 2448
In situ polymerization, 2094, 2605
Inclusion compound (IC), 937
Infrared spectra, 1452
Infrared spectroscopy, 480, 516, 3165, 3214
Inifer, 1417
Injection molding, 889, 1827
In-line, 541
In-liquid curing, 1093
Instability, 3331
Intercalation, 179, 2811
Interface, 824, 2083, 3130
Interfacial shear strength, 15
Interfacial tension, 2423
Interferometry, 2133
Intermolecular hydrogen bonding, 2283
Interparticle distance, 3455
Interpenetrating network, 297
Interpenetrating polymer network polymer, 2457
Interpenetrating polymer networks (IPNs), 1898
Interpenetration, 1927
Ion exchange resin, 3501
Ion-exchange resin, 1557
Ionomer composite membranes, 1071
Ionomers, 556, 1178
IPN, 1752
IPNs, 328
IR–spectroscopy, viscoelastic properties, 1054
Iridescence, 125
Iron polymethacrylate, 995
Isocyanate group, 465
Isocyanate resin, 1807
Isocyanatoacrylate copolymers, 1577
Isopropylacrylamide, 1025
Isotactic polypropylene, 2234, 3165, 3275

Jeffamine, 2196
Jeffamine®, 913
J-integral method, compatibilizer, 510
Junction, 490
Jute, 900
Jute composite, 900

Kinetic, 1017
Kinetic, 2703
Kinetic parameters, 1701
Kinetics, 306, 1293, 2785
Kinetic-thermodynamic modeling, 2181
Kuhn's segment, 1054

L-Alanine, 2312
Lamellar arrangement, 2357
Laminate composite, 1675
Lamination, 816
Lamination, fluorinated polyimides, 1478
Laser deposition, 1614
Latex interpenetrating polymer networks (LIPNs), 622, 629
Laurate, 448
Lauroyl chloride, 1937
L,D-Alanine, 2312
Lewis acid, 290
Lifetime, 948
Light resistance, 3259
Light-cured dental composite, 735
Lignin, 448
Lignocellulose, 1623
Lignocellulosic, 1773, 1962
Linear low density polyethylene, 3153, 3160
Linear viscoelastic theory, 1207
Lipase, 3513
Lipolytic enzyme, 1881
Liquid chromatography, 1037, 2432
Liquid crystal display, 267
Liquid crystal–polymer blends, 831
Liquid crystalline polymer, 1827, 2448
Liquid crystalline polymers, 2243
Liquid crystallization, 97
Liquid natural rubber, 706
Liquid strike-through time, 2911
Liquid–liquid phase separation, 2113
Lithium batteries, 1003
L-Lactide/glycolide copolymers, 2004
LOI, 1635
Low birefringence, 107
Low density polyethylene, 2791, 3153, 3160
Low optical loss, 107
Low polarization dependence loss (PDL), 107
Low-concentrated water solutions, 1978
Low-condensation phenol-formaldehyde (PF) resins, 359
Low-density polyethylene, 781, 2963
Lower critical solution temperature, 2457
Luminescent dyes, 3316

Macroinitiator, 1917
Macromolecules, 601
Macromonomer, 1516, 1524, 2029
Macroporous styrene–divinylbenzene copolymer networks, 2181
Macrovoid, 2124
Magnesium bromide, 290
Magnetic composites, 3412
Maize bran, 3040
Maleic anhydride, 247, 256, 857
Maleimide-functional novolac, 2321
Malononitrile, 2963
Mass transfer, 159
Mass transfers, 3492
Mechanical behavior, 3331
Mechanical deformations, 601
Mechanical properties, 133, 229, 523, 735, 824, 866, 958, 1539, 1731, 1962, 2667, 3173, 3299, 3445
Mechanical property, 2386, 2571, 2900
Mechanical recycling, 510
Mechanical strength, 2488
Mechanical testing, 2056
Mechanically induced densification, 1705
Mechanism, 1140, 1371
Melamine, 1341
Melt blending, 3359
Melt-blending process, 2510
Melt-crystallization, 1607
Melt flow index, elongational viscosity, 1815
Melt functionalization, 2616
Melt temperature, 3268
Melting, 239, 1380, 2357
Melting behavior, 1686
Melting enthalpy, 1201
Melting temperature, 2900
Melt-spinning, 1242
Membrane, 407, 647, 806, 1146
Membrane casting, 1271

Membrane formation, 159, 171, 2124
Membrane-based separation technology, 3059
Membranes, 1071, 1669, 3059
Memory effect, 3485
Mercury ions, 1557
Mesoporous molecular sieve, 3254
Metal salt complex, 567
Metal-ion specificity, 3432
Metallocene, 838
Metallocene catalyst, 1851
Metallocene catalysts, 439
Metallocene–polyethylene, 1156
Metering, 676
Methanol, 2645
Methanol permeation, 67
Methyl methacrylate, 290, 1293, 1417, 1547, 2561
Methylaluminoxane, 1851
Methylenediphenyl diisocyanate, 2546
Methylmethacrylate, 516
Mica, 1361
Micellar enhanced ultrafiltration, 2290
Micelles, 2856
Microfiltration, 1146
Microfiltration membrane, 1037
Micron SiC, 2611
Micron-size, seeded polymerization, 278
Microporous polypropylene fiber, 722
Microsegregation, 1054
Microspheres, 655
Microstructure, 3026
Microwave curing, 2917
Migration, 3130
Migration of low molecular weight components, 1539
Miscibility, 383, 838, 2894
Mixed solution, 1298
MMA/AA, 3111, 3121
MMA-jute composite, 900
Modeling, 532
Modification, 1178, 1571, 1745, 2931
Modified ASTM permeation, 1584
Modified lignosulfonate, 1662
Modified poly(ethylene terephthalate), 1797
Molar mass, 2432
Molding, 2207
Molecular interaction, 1054
Molecular mass, 2207
Molecular parameters, 2747
Molecular structure, 490, 3305
Molecular weight, 2423
Molecular weight distribution, 490, 1950
Molecular weight prediction, 1821
Molten polymers, 3268
Monochlorobenzene, 3417
Monodisperse, 278
Monodispersed particles, 1502
Monomer distribution, 3094
Monomer reactivity ratio, 2924
Mooney, 1220
Mooney stress relaxation, 1207
Mooney viscosity, 1207
Mooney–Rivlin, 3046
Morphology, 629, 772, 1242, 2102, 2369, 2832, 2931, 2979, 3259, 3287, 3445
Mössbauer spectroscopy, 995
6-MP, 1868
MPA, 2158
MPAPVA, 2158
MSC, 2170
Multicomponent, 3026
Multiphase materials, 448
Multiphase morphology, 1898
Multiple extrusion, 1596
Multiple heating rate methods, 2016

m-XDA, 2997

Nafion, 67
Nanocomposite, 2811
Nanoindentation, 195
Nanoparticles, 2856
Nano-sized gold particles, 1654
Nanosphere, 1516
Naphthalene, 1905
1,8-Naphthalimide derivatives, 151
Natural rubber, 3078
Natural rubber blends, 3059
Nature of crosslinking, 3432
N-cyclohexylmaleimide, 516, 1293, 1417
Necking, 1836, 3331
Negative pressure, 1380
Nematic liquid crystal (E7), 3485
Neomycin sulfate, 937
Neoprene latex, 629
Network, 2848
Network interlinking, 2737, 3365
Network of hydrogen bonds, 2353
N-(2-hydroxy)propyl-3-trimethylammonium chitosan chloride, 2258
N-(3- or 4-halogenphenyl)maleimides, 2924
N-isopropylacrylamide (NIPAM), 1234
N-isopropylacrylamide-*co*-3-methyl-1-vinylimidazolium iodide copolymer gel, 3242
Nitrile rubber, 762
Nitrogen, 413
Nitrogen atmosphere, 1234
4-Nitrophenyl methacrylate (NPMA), 1186
NMR, 2529, 2990
N,*N*-dimethyl acetamide–LiCl, 663
Nonisothermal crystallization studies, 59
Nonlinear mechanical property, 3160
Nonlinear Wagner constitutive model, 1207
Novel triblock copolymers, 2004
Novolac epoxy, 2321
Novolac epoxy resin, 1675
Novolac type phenolic resin, 2283
N-phenylmaleimide–styrene copolymer, 2931
NR, 3305
β-Nucleating agent, 2357
Nucleation, 3094
N-vinylpyrrolidone, 2963
Nylon 6, 2083, 2094
Nylon 66, 2386, 3254
Nylon cord, 762
Nylon-11 oligomer, 1654
Nylon-6, 1404, 1490

Oil lubrication, 797
Oil-surfactant-water emulsion, 2220
Oligomer, 2588, 3069
Oligomers, 1987
One-dimensional spectroscopy, 3016
One-shot method, 328
Optical absorption, 3009
Optical and thermal spectroscopy, 3316
Optical brighteners, 151
Optical telecommunication, 107
Optical waveguide, 107
Optical-phase retardation, 267
Organic counterions, 47
Organic electroluminescence, 3535
Organic/inorganic composite, 1341
Organosilicon polymers, 583
Orientation, 728
o-Trimethylsilylphenylacetylene, 647
Oxazolidinone polymer, 1675
Oxidation, 1745, 3417

Oxidation induction time, 1596
Oxidized polyethylene, 699
Oxygen diffusion coefficient, 1108
Oxygen/nitrogen transport, 1071

PA6, 23
P-Acetoxybenzoic acid, 1797
Packed-bed column, 2803
PAN-based membranes, 83
PANI, 471
Pan-milling, 1459
Paper, 907
Paperboard, 1773
PAPs, 471
Para nitroaniline (PNA), 3522
Parenteral delivery, 2856
Particle, 278
Particle size, 2971
Particle-strengthened polyurethane foam, 2724
Pb^{2+}, 1278
PBT–PTMO copolymer, 921
PDLC composite, 3485
PDMS, 1119
PECVD, 2439
PEEK, 1146
Peel spectra, 264
PE/MPA, 2158
PE/MPAPVA, 2158
Pendant drop method, 2423
PEO chain, 2826
Peptides, 1669
Permeability, 75
Permeation, 806, 1941
Permselective membrane, 983
Permselectivity, 407, 753
Peroxide, 75, 247
Peroxide induced grafting, 2616
Pervaporation, 47, 83, 407, 647, 753, 983, 1452, 2645
Pervaporation separation, 3059
PET, 1669, 2083, 3331
PET–PCL block copolymers, 1858
pH Effect, 1286
Phase behavior, 772
Phase equilibrium, 2353
Phase inversion, 1334
Phase separation, 33, 159, 171, 706, 2056, 2181, 2832
Phase-separating copolymerization, 722
Phenol, 2196
Phenol-epoxy reaction, 2321
Phenolic resin, 2703
Phenolic resins, 3173
Phenoxy, 1539
Phosphoric acid, 1317
Phosphorus, 413
Phosphorylcholine, 2947
Photo- and biodegradable polymer, 1432
Photoacoustic infrared (PASIR) spectroscopy, 1577
Photodegradation, 306
Photoelasticity, 2877
Photofunctionalization, 1623
Photografting, 1623
Photoinduced living cationic polymerization, 2637
Photoluminescence, 2588
Photophysical properties, 151
Photopolymerization, 2133
Photorefractive, 1321
Photosensitivity, 189
pH-sensitivity, 3186, 3193
Phthalocyanine, 1762
Physical aging, 1646
Physical, chemical, and thermal quality characteristics, 139
Physical entrapment, 1025
PID controller, 541
Pigment, 1762
Pin-on-disc, 831
Piperidone, 2369
Plasma polymer films, 67
Plasma-polymerized film, 2522
Plastic deformation, 2832
Plastic films, 3040
Plasticization, 3380
Plasticized PVC, 3492
Plasticizer, 2207
Plasticizers, 1490
Plastisol, 2488
PMIA, 747
PMMA, 471
Polar solvents, 2063
Polyamide, 3548
Poly(ε-caprolactone), 1815
Polyacrylamide, 219, 1412, 1623
Polyacrylamide branches, 2773
Polyacrylamide-supported, 3432
Polyacrylate, 983, 2529
Poly(acrylic acid), 1752
Polyacrylonitrile, 1927, 2258
Polyamide, 465, 2283
Polyamide 1010, 857
Polyamide 12, 1054
Polyamide 6, 1941, 3033
Polyamideimide, 965
Polyamides, 1366
Polyamine compound, 1278
Polyaniline, 2094
Polyaniline–epoxy novolac resin, 3507
Poly(arylidenecycloalkanones), 2255
Polybutadiene-grafted carbon fiber, 1424
Poly(butylene azelate), 2694
Poly(butylene terephthalate), 889, 1797
Polybutylene terephthalate, 1827
Poly(butylene terephthalate), 2470
Poly(butyleneterephthalate), 2694
Polycaprolactone, 2594
Polycarbazole, 145
Polycarbonate, 1646, 1827, 2274, 2510
Polycondensation, 2404
Polycyanurate, 1675
Polycyclic(arylene disulfide), 3069
Polydimethylsiloxane/inorganic powder composites, 2660
Polydispersity, 2423
Polyelectrolyte, 311, 1412
Polyelectrolyte complexation, 1093
Polyester, 889, 2716
Poly(ester amide)s, 2312
Polyester resins, 379
Polyesters, 3513
Polyethene, 439
Poly(ether amide)s, 913
Poly(ether ether ketone), 1146, 2611
Polyether ether ketone, 3425
Polyether ketone sulfone copolymers, 3425
Poly(ether sulfone), 1686
Polyetheretherketone, 3376
Polyetherification, 2877
Polyetherimide, 2220
Polyethersulfone, 2113
Poly(ethyl methacrylate), 1539
Polyethylene, 1037, 1762, 1851, 2947, 3404
Poly(ethylene 2,6-naphthalate), 2448, 2900
Polyethylene blends, 1156
Polyethylene composites, 1009
Poly(ethylene glycol), 913, 1516, 1524, 2004
Poly(ethylene glycol-dimethacrylate-2-hydroxyethylmethacrylate) microbeads, 2803
Poly(ethylene oxide), 3324
Poly(ethylene oxide)–b–polycaprolactone, 2856
Poly(ethylene terephthalate), 59, 239, 306, 728, 1524
Poly(ethylene terepthalate), 2335
Poly(glycidyl azide) (PGA), 2848
Poly(imide siloxane)s, 2832
Polyimides, 2063, 2404

Polyisocyanate, 753
Polyisoprene, 1250, 1264, 1371, 2143
Poly(lactic acid), 2546
Polymer, 1321
Polymer blend, 3153, 3160
Polymer composites, 3396
Polymer diffusion, 948
Polymer flocculants, 1412
Polymer latex, 3111, 3121
Polymer modification, 2482
Polymer recycling, 1129
Polymer surface modification, 2826
Polymer–metal complex, 3432
Polymer–steel contact, 831
Polymer-dispersed liquid crystal, 3485
Polymeric acids, 907
Polymeric membranes, 3469
Polymeric thinning agent, 1662
Polymerization, 1140
Polymers, 601, 3299
Poly(methacrylonitrile) (PMAN), 1108
Poly(methyl methacrylate), 290, 772, 2072, 2894, 2971, 3316
Poly(methyl methacrylate) (PMMA), 3522
Poly(methylmethacrylate), 1386
Poly(*m*-phenylene isophthalamide) thermoplastic elastomer, 2414
Poly(*N*-ethyl aniline), 1286
Poly(*N*-methyl aniline), 1286
Poly(*N*-propionylethyleneimine), 2457
Poly(*N*-vinyl carbazole), 1792
Poly(*N*-vinyl-2-pyrrolidone), 1452
Polyols, 1807
Poly(*O*-methoxyaniline), 3009
Poly(*p*-diethynylbenzene), 2010
Poly(perfluoroalkylethyl acrylate)-b-poly(3-tris(trimethylsilyloxy)silyl] propyl methacrylate), 1917
Poly(phenylene oxide), 824
Polyphenylene sulfide, 3033
Poly(*p*-phenylene sulfide), 1686
Polypropene, 838
β-Polypropylene, 2357
Polypropylene, 195, 239, 256, 676, 958, 1380, 1836, 1941, 2397, 3417, 3445
Polypropylene composite, 1962
Polypropylene composites, 523
Polypropylene filament, 1242
Polypropylene nonwoven, 2911
Polypropylene (PP), 2150
Poly(propylene terephthalate), 889
Polypropyrene, 722
Poly(*p*-vinyl phenol), 383
Polysaccharides, 2773
Polysiloxane TPU, 1905
Polystyrene, 629, 824, 2072
Poly(styrene-*co*-acrylonitrile), 2894
Poly(styrene-cobutadiene), 1250, 1264
Poly(styrene-co-butadiene), 2143
Poly(styrene-*co*-hydroxystyrene), 639
Poly(styrene-*co*-maleic anhydride), 97
Polystyrene–clay hybrids (PSCHs), 3359
Polysulfone, 33, 407, 2113
Poly(tetrafluoroethylene), 286, 1386
Polytetrafluoroethylene, 1571
Poly(tetrafluoroethylene-*co*-19 mol % Hexafluoropropylene), 2039
Poly(tetrahydrofuran), 2637
Polyurethane, 297, 556, 1054, 1334
Polyurethane foam, 1317, 2724
Polyurethane membrane, 753, 2124
Polyurethane-modified epoxy, 328
Polyurethanes, 706
Polyurethaneureas, 2552
Poly(vinyl acetate), 663
Poly(vinyl alcohol), 133, 663, 806, 1298, 1752
Polyvinyl alcohol, 3046
Poly(vinyl alcohol) (PVA), 1978
Poly(vinyl butyral), 3485
Poly(vinyl chloride), 699, 2576, 2886
Poly(vinyl chloride) (PVC), 1178, 1234
Poly(vinyl)Alcohol, 1881
Poly(vinylidene fluoride), 171
Polyvinylpyrrolidone, 2220
Poly (3-hydroxy-butyrate-*co*-hydroxyvalerate)-*g*-phenyl vinyl ketone], 1432
Poly(2-hydroxyethylmethacrylate), 125
Poly(2-hydroxyethylmethacrylate) copolymers, 655
Poly(3-hydroxybutyrate), 595
Poly(3-hydroxyvalerate), 383
Poly(4-vinyl pyridine) hydrochloride, 1557
Porosity, 2660
Porosity formation, 2181
Porous substrate, 983
Portland cement, 2482
Positive charge group, 1898
Postconsumer polyethylene, 1156
Power-law, 676
p-Oxybenzoate unit, 2016
PPE, 23
PPV, 3351
PPV oligo-polymer, 3535
PPy/P(NiPAAm/AMPS) composite, 311
Precipitated silica, 389
Preconcentration of heavy metals, 2631
Prednisolone, 458
Pre-formed particle, 2539
Pressure-sensitive adhesive tapes, 264
Pretilt angle, 267
Processing behavior, 1649
Properties, 1459
Propyl ester phosphazene, 229
Propylene polymers, 2681
Protein, 595
Protein adsorption, 297, 1334
Proton NMR relaxation, 2660
Proton-conducting polymers, 67
PSS-PEGL, 502
PSS-PEGL-DBS, 502
PTFE, 747, 816, 1607
PTFE composites, 797
2°-PTFE-filled LDPE, 877
2°-PTFE particle-filled LDPE, 866
p-Toluenesulfonylhydrazide, 3203
p-Tolyl mercaptan, 3203
PUF resins, 359
Pull-out properties, 15
PVA1, 2667
PVA-*g*-PBA, 3145
PVC, 113
PVDF, 1347
Pyridyl and bipyridyl groups, 849

Quasi-static compression tests, 2724
Quaternary system, 2113

Radiation, 762
Radiation resistance, 2150
Radiation-induced grafting, 2150
Radical polymerization, 290
Radioactive ions, 3473
Radiopaque, 735
Raman spectroscopy, 1792
Random copolyimides, 272
Random copolymers, 2694
Rare earth compounds, 797
Reaction heat, 3404
Reaction kinetics, 3111
Reaction time, 256
Reactive blend, 1675
Reactive blending, 1531, 2102

Reactive compatibilization, 1404
Reactive diluent, 1649
Reactive extrusion, 1017, 3455
Reactive phosphorus flame retardant, 2499
Reactive polymer processing, 1412
Reactive processing, 247
Reactivity ratio, 516
Reactivity ratios, 1186
Recrystallization, 2357
Recycling, 1531
Redox active polyurethane, 2674
Reduction kinetics, 286
Refractive index, 107, 2133
Regenerated cellulose film, 2462
Relaxation time, 2773
Reorganization, 3376
Residual stress, 3287
Resin matrix, 735
Resin preparation, 359
Resin transfer molding, 1649
Resins, 322
Resistive-type humidity sensor, 2010
Resistive-type sensors, 1992
Resol, 2703
RF curing, 2917
Rheokinetic, 1017
Rheological behavior, 211, 567, 2667
Rheological characterization, 2625
Rheological property, 3153
Rheology, 1207, 1220, 1361
Rheooptical properties, 958
Riboflavin, 75
Rigid film, 3121
Rigid–rigid polymer toughening, 2539
Ring-opening polymerization, 1858
Ring-opening reaction, 3069
Rotor speed, 256
Rubber, 838, 1220, 1490, 1584, 2940
Rubber networks, 3305
Rubber process analyzer, 480
Rubber, thermomechanical analysis, 490
Rubber toughened, 2470
Rubber vulcanisates, 1129
Rubbers, 1207
Rubber-toughened styrene–maleic anhydride copolymer materials (TSMA), 1508
Rutherford Backscattering Spectrometry, 1997

Saccharides, 1298
Salt water, 921
SAN–montmorillonite, emulsion copolymerization, 2811
SAN-MMT nanocomposite, 179
Scale-up, 3225
Scanning electron microscopy, 2357
Scanning electron microscopy (SEM), 1440
SCLC, 1347
Scorch, 2940
SEBS, 2414
Second moment, 1386
Seeded emulsion polymerization, 629
Segmental mobility, 1054
Segmented block copolymers, 706
Selective, 806
Selectivity, 1557
Self-diffusion, 1119
SEM characterization, 866
Semibatch and nonisothermal reactor conditions, 2561
Semibatch emulsion polymerization, 3094
Semicrystalline morphology, 2234
Separation, 806, 2645
Sequence distribution, 3026
Sequential IPN, 2737, 3365
Serviceability, 2094
SF_6, 2039
Shake flask method, 2911
Short-fiber composite, 2414
Silane, 3404
Silane coupling agent, 389
Silane coupling agents, 866, 877
Silica, 133, 2529
Silicon chain extenders, 2979
Silk fibroin, 2571
Siloxane, 965
Siloxane macrodiol, 2979
Skinless internal layer, 2220
Sliding wear, 831
SMA, 23
Small angle X-ray scattering, 1465
Smoke-evolution retarder, 379
SO_3Ag-containing polysulfone (PSU) blend membranes, 422, 428
Soap-free hydrosol, 91
Sodium alginate membrane, 1119
Sodium lauryl sulfate (SLS), 3094
Soft block, 1054
Sol fraction, 2877
Solar concentrator, 3316
Sol-gel process, 133
Solid state, 2990
Solidification and stabilization, 2482
Solid-state NMR, 3165
Solid-state polymerization, 2820
Solubility, 2039
Solubility parameter, 2645
Solution polymerization, 91, 3016
Solution technique, 2826
Solution-blending process, 2510
Solvent extraction, 1987
Solvent-induced crystallization, 3376
Sorption, 849
Soy-based copolyamides, 1563
SO_3^- group, 2826
Spherulites, 195, 1380
Spherulitic morphology, 171
Spin draw ratio, 2448
Spinodal decomposition, 2124
Stability, 1596
Stabilization, 2576
Stable joint resistance, 399
Stable nitroxyl radical, 2378
Starch, 1440, 2207, 2667, 2791
Static curing, 2756
Steam explosion, 1962
Stereoregular poly(vinyl chloride), 2820
Stimuli-responsive polymers, 2290
Storage modulus, 3254
Strain-rate sensitivity, 1836
Strength, 907
Stress relaxation, 1220
Stress–strain behavior, 2004
Stress-enhanced diffusion, 1584
Stress/strain experiments, 1194
Structural adhesive, 1366
Structural change, 2571, 3186
Structural characterization, 1
Structure, 1465, 2529
Structure-property relations, 556
Styrene, 1140, 1186, 1502, 1516, 1524, 1780, 3225
Styrene copolymers, 1044
Styrene–butadiene rubber/natural rubber blend membranes, 3059
Styrene–ethylbenzene mixtures, 753
Styrene-divinylbenzene, 722
Styrene-*N*-butyl-maleimide copolymer, 2378
Substituted diphenylamine diazonium salt, 189
Sulfonated polyethersulfone, 2046
Sulfonated polyphenylene oxide, 47
Sulfur, 762
Superabsorbent, 119
Supercritical carbon dioxide extraction, 2077
Supramolecule, 97
Surface analysis, 747

Surface characterization, 1271
Surface free energy, 267, 1917, 2029, 2848
Surface modification, 1524, 1917, 2029, 2552, 2947
Surface mount applications, 399
Surface tension, 219
Surface treatment, 1361
Surface-active monomer, 211
Swelling, 3059
Swelling mechanism, 3186
Swelling of amylose, 1693
Swelling of cellulose, 1693
Swelling ratio, 458, 3242
Syndiotactic polystyrene, 1851, 2077
Syneresis, 1298
Synthesis, 2369, 2979, 3053
Synthesis of fluorosilicone block copolymer, 1917

T_g, 1201
T_m, 1201
Tacticity, 290, 2894
Telechelic polybutadienes, 3214
Temperature change, 1890
Temperature gradient, 3268
Tensile modulus, 2448, 3359
Tensile properties, 2143
Tensile property, 3259
Tensile strength, 1366, 2274
Ternary blend, 1404
Ternary composite, 3445
Terpenediphenol-based benzoxazine, 2266
Terpolymers, 2369
Tetrahydrofuran, 1821, 2637
Tetramethylthiourea, 1371
Tetramethylthiuram disulfide, 1250, 1371, 2143
Textile properties, 1623
TFC membranes, 47
TFE, 1607
The degree of orientation, 3287
Thermal addressing, 3485
Thermal analysis, 2357
Thermal and mechanical properties, 502, 2979
Thermal behavior, 567
Thermal conductivity, 3396
Thermal cure, 3365
Thermal decomposition kinetics, 3365
Thermal degradation, 1596
Thermal gravimetric analysis (TGA), 1563
Thermal properties, 1, 690, 1186, 1807, 2694, 2820, 2971
Thermal stability, 413, 2283, 3259
Thermal stability of PVA-iodine complexes, 1978
Thermal studies, 2576
Thermal treatment, 781
Thermally accelerated aging, 1465
Thermally stable electrooptic properties, 974
Thermally stimulated depolarization currents, 2716
Thermogravimetric analysis, 201, 3507
Thermogravimetric analysis (TGA), 1440
Thermogravimetric kinetics, 2016
Thermogravimetry, 3425
Thermo-mechanical analysis, 480
Thermomechanical properties, 3173
Thermoplastic elastomer, 706, 1490
Thermoplastic elastomers, 2886
Thermoplastic starch, 2594
Thermoplastics, 2448
Thermoprocessing, 2667
Thermoresponsive gel, 1025
Thermoreversible hydrogel, 3242
Thermosensitivity, 311
Thermosetting matrix, 15
Thermosetting polymer blends, 322
Thermostability, 189, 3324
Thermostabilizing effect, 3324
Thermostable polymer, 1719
Thermotropic copolyesters, 2016
Thermotropic liquid crystalline polymer, 1797
Thin film, 1347
Thin-layer chromatographic separation, 3111
Thin-layer chromatographic technique, 1987
Thiol, 1417
Thiophene, 2963
Time–temperature superposition, 824
Tin/lead-finished components, 399
TLC polyester, 15
TMA, 3305
Topological structure, 490, 3305
Total-correlation spectroscopy (TOCSY), 3016
Toughening, 1404, 2397
Toughness, 23
Toxicity, 2482
T-peel strength, 1478
Transcrystallinity, 3275
Transmission electron micrographs, 448
Trans-4-methacryloyloxyazobenzene–methyl methacrylate copolymers, 3016
Triallyl-1,3,5-triazine-2,4,6(1H,3H,5H)-trione, 3069
Tribological properties, 2611
Tri-*n*-propylamine, 3203
1,1,2-Trichloroethane, 983
Triphenylamine, 3351
Tungsten carbene complex, 647
Twin-screw extrusion, 1858
Two-dimensional spectroscopy, 3016
Two-stage emulsion polymerization, 622

UHMWPE, 1731
Ultrafiltration, 1146, 1271
Ultrafiltration asymmetric membranes, 2063
Ultrafiltration membrane, 2046
Ultra-high molecular weight polyethylene, 670
Ultrasonic irradiation, 2462
Ultrasonic velocity measurement, 480
Unsaturated polyester, 1395, 3541
Unsaturated polyester resin, 3380
Urea, 359
Urethane graft copolymer, 2029
Urethane tetramethacrylate, 735
UV curing, 2133
UV irradiation, 1432
UV irradiation technique, 75
UV radiation, 900
UV stability, 877
UV stabilizer, 306
UV-curing, 3541

Vacuum deposition, 1347
Vanadium, 1997
Variable-energy positron lifetime spectroscopy, 2522
Vectra films, 2243
Vinyl acetate, 345, 1780
Vinyl ether, 3541
4-Vinyl pyridine, 1502
Vinyl pyrrolidone, 345
Vinylic copolymers, 201
Vinylpyridine copolymers, 1992
Viscoelastic peel model, 264
Viscoelastic property, 3160
Viscoelasticity, 2877
Viscosity, 33, 541, 1220

Voids, 1465, 3173
Vulcanization, 1371, 2747

Wagner constitutive model, 1220
Wallace plasticity, 3078
Waste treatment, 2482, 3473
Wastepaper recycling, 1563
Wastewater, 3501
Water absorbency, 119
Water absorption, 353, 1962
Water contact angle, 1846
Water diffusion, 3275
Water diffusion in polymers, 3380
Water dispersibility, 556
Water effect, 1201
Water permeability, 2056
Water-based drilling fluids, 3088
Waterborne coating, 91
Water-repellency, 1516
Water-soluble lignin derivative, 1662
Water-soluble polymer, 1412
Water-specific permeameter, 3380
Water-swellable rubber, 3145
Weak sites, 1596
Wear, 747
Wear mechanism, 2611
Weight-average molar mass, 3078
Weld lines, 1009
Wet spinning, 2258
Wet strength resins, 907
Wettability, 3259
Wetting behavior, 219
Wheat bran, 1937
Wood adhesives, 1807
Wood pulp, 907

XL-UHMWPE, 1731
XPS, 816, 1286, 1846
XPS spectra, 1614
X-ray photoelectron spectroscopy, 1478

Yellowness index, 2488
YSZ, 502

Ziegler–Natta and metallocene catalysts, 1169
Zirconocene, 1997
Zwitterion, 816